

# A Survey on Blockchain Technology and its Security

Huaqun Guo

Institute for Infocomm Research, A\*STAR, Singapore  
guohuaqun@u.nus.edu

Xingjie Yu\*

Singapore  
stefanie\_yxj@hotmail.com

**Abstract**—Blockchain is a technology which has desirable features of decentralization, autonomy, integrity, immutability, verification, fault-tolerance, anonymity, auditability and transparency. In this paper, we first carry out a deeper survey about Blockchain technology, especially its history, consensus algorithms' quantitative comparisons, details of cryptography in terms of public key cryptography, Zero-Knowledge Proofs and hash functions used in the Blockchain, and the comprehensive list of Blockchain applications. Further, the security on Blockchain itself is a focus in this paper. In particular, we assess the Blockchain security from risk analysis to derive comprehensive Blockchain security risk categories, analyze the real attacks and bugs against Blockchain, and summarize the recently developed security measures on Blockchain. Finally, the challenges and research trends are presented to achieve more scalable and securer Blockchain systems for the massive deployments.

**Keywords**-Blockchain; consensus algorithm; smart contract; risk; Blockchain security

## I. INTRODUCTION

In Blockchain, data are kept in a distributed ledger. It is the Blockchain technology to provide integrity and availability that allows participants in the Blockchain network to write, read and verify transactions recorded in a distributed ledger. However, it does not allow the deletion and modification operations on the transactions and other information stored on its ledger. The Blockchain system is supported and secured by cryptographic primitives and protocols, e.g., digital signature, hash functions, etc. These primitives guarantee the transactions that are recorded into the ledger are integrity-protected, authenticity-verified, and non-repudiated. Further, as a distributed network, to allow the entire set of participants to agree on a unified record, the Blockchain technology further needs a consensus protocol, which is essentially a set of rules to follow by every participant, in order to achieve a globally unified view.

In a trustless environment Blockchain provides users with desirable features of decentralization, autonomy, integrity, immutability, verification, fault-tolerance, attracted great academic and industrial attention in the recent few years, anonymity, auditability and transparency [1] [2] [3]. With these advanced features, the Blockchain technology has attracted great academic and industrial attention in the recent few years.

To help and benefit someone to understand the Blockchain technology and Blockchain security issues, especially for users who use Blockchain to do the transactions, and for researchers who will be developing Blockchain technology and addressing Blockchain security issues, we put in our effort and time to conduct the comprehensive survey and analysis on Blockchain technology and its security issues. First, we identify keywords, namely, Blockchain, survey, consensus algorithm, smart contract, risk, and Blockchain security to search publications and information on the Internet. Second, we survey on papers related to Blockchain published in top security conferences and journals, e.g., USENIX Security Symposium, IEEE Symposium on Security and Privacy, IEEE Transactions journals, and so on. In this way, we have survey as many papers as possible so as to overcome the study and results biases. Our survey paper presents the comprehensive findings from other research work.

The main contributions for our survey include: 1) We compare various consensus algorithms with detailed analysis and numerical figures and present the cryptography fundamental of Blockchain; 2) We present the rich information about smart contract and its security; 3) We explore the widely used applications of Blockchain technology, including but not limited to different cryptocurrencies; 4) We conduct comprehensive analysis on the security risks, real attacks, bugs, root causes and recent security measures on Blockchain itself; Last but not least, 5) The challenges and research trends are summarized and presented in this paper for the further effort to development the Blockchain technology for the massive deployments.

The rest of paper is organized in the following. Section II introduces the overview. Section III describes the Blockchain technology in details including consensus algorithms, smart contract and cryptography for Blockchain, while the comprehensive Blockchain applications are presented in Section IV. The security risks and real attacks on Blockchain are presented in Section V, and security measures are described in Section VI. Section VII analyses the challenges and the research trends for Blockchain. Section VIII summarizes the related survey works to show our contribution. Finally, Section IX concludes our work.

## II. OVERVIEW OF BLOCKCHAIN HISTORY

In 1982 David Chaum is the first known person to propose a Blockchain-like protocol in his PhD thesis [4]. In 1991, Haber and Stornetta described a secured chain of blocks cryptographically [5]. In 1993, Bayer, Haber and Stornetta incorporated Merkle trees to the design [6]. In 1998, 'bit gold' - a decentralized digital currency mechanism was designed by Nick Szabo [7]. In 2008 Satoshi Nakamoto introduced Bitcoin, electronic cash with a purely peer-to-peer network

\*This work has been done when the author was with Institute for Infocomm Research, A\*STAR, Singapore.

[8]. It was also in 2008 that the term of Blockchain was first introduced as the distributed ledger behind Bitcoin transactions [9].

In 2013, Vitalik Buterin proposed Ethereum in his whitepaper [10]. In 2014, the development of Ethereum was crowdfunded, and on 30 July 2015 Ethereum network went live. The emerging of Ethereum implied that Blockchain 2.0 was born because different from all the various Blockchain projects that focused on developing altcoins (other coins which are similar to Bitcoin), Ethereum enables people to connect through trustless distributed applications on its own Blockchain. In other words, while Bitcoin is developed for a distributed ledger, Ethereum is developed for a distributed data storage plus smart contracts which are small computer programs. Ethereum 2.0 upgrades the Ethereum Network which aims to boost the speed, scalability, efficiency and security of the network. The upgrades have 3 phases crossing from 2020 till 2022.

In 2015 the Linux Foundation announced the Hyperledger project, which is open-source software of Blockchains. With the aim to build enterprise Blockchain, Hyperledger Blockchain frameworks are different from the Bitcoin and Ethereum. Under Hyperledger, there are eight Blockchain frameworks including Hyperledger Besu, Hyperledger Fabric, Hyperledger Indy, Hyperledger Sawtooth, Hyperledger Burrow, Hyperledger Iroha, Hyperledger Grid and Hyperledger Labs, five Hyperledger tools including Hyperledger Avalon, Hyperledger Cactus, Hyperledger Caliper, Hyperledger Cello and Hyperledger Explorer, and four libraries including Hyperledger Aries, Hyperledger Quilt, Hyperledger Transact and Hyperledger URSA [11].

The history of Blockchain is summarized in Fig. 1. Bitcoin and Ethereum are public Blockchains since anyone can participate their Blockchain networks, which are also called as permissionless Blockchains. The various Hyperledger Blockchain networks are private Blockchains since the participants are needed to be verified first before joining the network, which are also called as permissioned Blockchains.




Fig. 1. History of Blockchain

### III. BLOCKCHAIN TECHNOLOGY

#### A. Consensus Algorithms

As one of desired Blockchain features, anonymity also poses a problem when it comes to trust. How can be 100 percent ensured that anonymous users are honest when they add transactions to a ledger? The answer is to validate every transaction to be legal (not malicious, double spends etc.) and then put the transactions into a block. The agreement of adding a block to the Blockchain is through consensus algorithms. These consensus algorithms take advantage of the fact that the

majority of users on a Blockchain have a common interest to keep the Blockchain honest. A Blockchain system uses a consensus algorithm to build its trust and properly stores the transactions on the blocks. Thus, consensus algorithms can be considered the heart of all transactions of Blockchains.

A consensus protocol is essentially a set of rules to be followed by every participant. As distributed technology without a universal trust, Blockchain needs a distributed consensus mechanism for all participants to agree on the Blockchain's current state. The Blockchain's consensus is based on scarcity that controlling more of a scarce resource gives more control over the Blockchain's operation. A number of unique consensus mechanisms have been designed for Blockchains, which include Proof of Work (PoW) [8], Proof of State (PoS) [12], Delegated Proof of State (DPoS) [13], Proof of Elapsed Time (PoET) [14], Practical Byzantine Fault Tolerance (PBFT) [15], Directed Acyclic Graph (DAG) [16] [17], Proof of Authority (PoA) [18], Tendermint [19], Ripple [20], Scalable Byzantine Consensus Protocol (SCP) [21], Proof of Bandwidth (PoB) [22], Proof-of-Importance (PoI) [23], Proof of Burn [24], Proof of Capacity [25], depending on their unique requirements.

Based on algorithms appeared in other survey work [26] [27] [2] [28] [3] [29] [30] [31] [32], PoW, PoS, DPoS and PBFT are the most common consensus algorithms. DAG is the most different from other consensus algorithm. PoET is developed by Intel Corporation and used in Hyperledger Sawtooth. Thus, these six consensus algorithms are further described in the below.

**Proof of Work (PoW).** PoW selects a problem that can only be solved by guessing. For example, when it is time to create and validate a full block, the problem is to guess a nonce value such that when using the transaction data and the nonce value as inputs for a hash function, its hash output needs match the difficulty, e.g., beginning with four leading zeros. Every node (also called mining node) on the network is now guessing different nonce values randomly until one node first happens to find the nonce value that matches the difficulty. So a mining node has to spend a lot of computational resources on it (hence called as "work") and solves the problem faster than others in order to succeed in creating a block to link to the Blockchain, and obtain an incentive mining reward, which is often cryptocurrency. On other hand, hash functions are important as one cryptographic puzzle at the center of the PoW consensus algorithm. Bitcoin network adopts the cryptographic hash function SHA-256 [8]. We will talk more about hash function in the following section. Bitcoin and Ethereum public Blockchains use PoW as their consensus algorithm. A big issue with the PoW consensus process is that it requires a lot of time and electricity to complete.

**Proof of Stake (PoS).** PoS [12] [33] is the second most prominent consensus method and requires fewer computations for mining than PoW. PoS solves time and electricity consumption problems that PoW has because the electricity requirement is associated with miners finding a nonce and this process needs to take some time. PoS has nodes to put up a stake to be chosen as the next block creator. When a block is chosen, the creator will receive the transaction fees associated with that block. If a block winner attempts to add an invalid block, he/she will lose his/her stake. In its first phase of Ethereum 2.0 upgrade, the Blockchain "world computers" switch from PoW to PoS consensus algorithm.

**Delegated Proof-of-Stake (DPoS).** In DPoS, all token holders can vote a number of delegates and can also delegate to other users with their voting power. The more number of tokens that the token holder has, the more voting power the token holder has. Then the delegates are responsible to validate transactions and blocks to secure the network [34]. Unlike the most computing power in PoW or the most tokens in PoS, token holders in DPoS allow to vote who to mine new blocks, and reward only the best miners. EOS is one of the Blockchain systems to use the DPoS algorithm [35].

**Proof of Elapsed Time (PoET).** Intel Corporation developed PoET to enable a different way to determine a winner to mine a block [36]. In PoET, each potential validation node requests a random waiting time which is generated in a trusted computing platform, e.g., Intel's SGX. After waiting for the assigned time, the first node finished waiting time is the validation winner and is able to add the new block. The trusted computing platform enables every node to have a chance to be the winner. [37].

**Practical Byzantine Fault Tolerant (PBFT).** Byzantine Fault Tolerance (BFT) is to solve a famous general problem that some generals are dishonest, but needs to reach a correct consensus. PBFT is a consensus algorithm that optimizes BFT [16]. In PBFT, as long as the malicious or hostile nodes are less than one third of all the nodes in the Blockchain system, Blockchain system will come to agree on the blockchain's current state. The more nodes in the Blockchain system, the securer the Blockchain is. Hyperledger Fabric currently uses PBFT.

**Directed Acyclic Graph (DAG).** DAGs [38] makes up of vertices and the edges (the lines connecting them), which is different from other consensus algorithms. The vertices and the edges are directed because they head in one direction and they are acyclic because the vertices do not loop back on themselves. Each vertex in the structure represents a transaction. There is no notion of blocks here, and mining is not required to add transactions. Instead of gathering transactions into blocks, each transaction is built on top of another. Still, there is a small PoW operation that is done when a node submits a transaction. This ensures that the network is not being spammed and also validates previous transactions. IOTA [39] adopts DAG consensus algorithm.

The comparisons of these six consensus algorithms are listed in Table I. We compare them in as many details and as much quantitative as possible.

### B. Smart Contract

Smart contract makes another beautiful part of Blockchain that Blockchain not only provides a distributed, unchangeable record of all the different events that have occurred, but also allows to write very non-subjective computer code, that defines exactly how that process is going to be managed and what steps are going to be taken when that event occurs. One goal of smart contract proposed in Ethereum was to break the limitation of Bitcoin. Smart contract is about computer code that is written to respond to certain types of significant events. Smart contract does not have to involve two or more parties and do not have to be legally binding [40].

Smart Contract a.k.a. chaincode [40]:

- Program rules and decision points into Blockchain transactions and processes.

- Automate transactions and ensure they are all following the same rules.
- Run on the Blockchain.

Smart contract will revolutionize how we do business and is the keystone for the enterprise Blockchain applications. Anyone can develop the smart contracts without the needs of intermediaries. Smart contract provides the autonomy, efficiency, accuracy and cost saving.

### C. Cryptography for Blockchain

Blockchain creates a layer of trust between untrusted parties to enable secure and trusted records and transactions to occur. Without Blockchain to create trusted records and transactions, a third-party intermediary is necessary. Blockchain uses cryptography and collaboration to create that trust and as a result it eliminates the need for a centralized institution to act as intermediary. Information on the Blockchain is stored on the ledger using cryptography.

Blockchain makes use of some cryptography building blocks as below [40]:

- **Public Key Cryptography:** Be used for digital signatures and encryption.
- **Zero-Knowledge Proof:** Demonstrate the knowledge of a secret without revealing it.
- **Hash Functions:** One-way pseudo-random mathematical functions. Merkle trees adopted hash function to form one component of block header.

**Public key cryptography.** It is used to prove that a transaction was created by the right person. In Blockchain, the private key is kept in a digital wallet, either a hardware wallet (a physical device to store the private key) or any software wallet (e.g., desktop wallet app, mobile wallet app or web-wallet). A user accesses its private key to sign a message called as digital signature that will be transmitted to the Blockchain, and its public key is to confirm that message actually did come from the user. For example, in Fig. 2, the user hashes its transaction data into hash value 1 and then signs on the hash value 1 with its private key to generate the digital signature. The user then sends its digital signature together with its transaction data to the Blockchain network. The miner uses the user's public key to decrypt the received digital signature to obtain hash value A, and the miner also hashes the received transaction data to obtain another hash value B. Then the miner checks if hash value A equals to hash value B or not. If they are equal, the miner verifies the user's transaction.

Since the private key is only securely kept by its owner, the corresponding digital signature makes sure the authorship of the transaction. The algorithm enables that the digital signature on every transaction depending on the individual private key of each user. The pair of public key and private key fits into Blockchain as a backbone of Blockchain and they are used to sign and verify transactions that the user makes.




Fig. 2. Digital Signature and Hash used in Blockchain Transactions

Both Ethereum and Hyperledger Fabric use digital signatures on transactions and blocks to confirm the identity of the creator and that the signed data has not been modified since signing. Elliptic Curve Digital Signature Algorithm (ECDSA) is widely adopted to create a pair of public key and private key.

The public key of a user can be logically selected as an identity of the user since knowledge of a public key is necessary for verification of digital signatures. It is used in the Blockchain as a method for managing users' identities without revealing real world identities.

TABLE I. COMPARISON OF CONSENSUS ALGORITHMS [41] [42] [13] [43] [44] [45]

	<b>PoW</b>	<b>PoS</b>	<b>DPoS</b>	<b>PoET</b>	<b>PBFT</b>	<b>DAG</b>
<b>Setup</b>	Public permissionless / Private Blockchain	Public permissionless / Private Blockchain	Public / Private Blockchain	Private permissioned or permissionless Blockchain	Private permissioned Blockchain	Public permissioned non-Blockchain
<b>Cost of entry and returns</b>	Relatively high cost of entry, but high returns	Low cost of entry, but low returns	Lower cost and lower returns than PoS	Very low cost of entry, but low returns	All participate with no return	All participate with no return
<b>Incentives</b>	The winning miner receives new coins with the block & transaction fees in the block he/she validates.	The winner receives transaction fees with the new block. If a block winner attempts to add an invalid block, he/she lose his/her stake.	The threat of loss of reputation & income provides incentive for delegates to act honestly and keep the network secure.	The winning miner receives the transaction fees with the new block he/she validates.	Nil	Nil
<b>Finality</b>	Probabilistic	Probabilistic	Probabilistic	Probabilistic	Immediate	Probabilistic
<b>Scalability in Network</b>	High	Medium	Medium	Medium	Low (Quickly grow into a huge communication cost as the amount of nodes scales upwards)	High
<b>Energy Efficiency</b>	Very low (energy intensive computations, e.g., Bitcoin consumes around 121.36 terawatt-hours (TWh) a year)	High	High (no miners required)	High	Medium (Some PBFT systems use PoW to prevent Sybil attack, but only after a set number of blocks (i.e., 100) and not for every block)	Medium (A small PoW operation when a node submits a transaction to ensure network is not being spammed and also validates previous transactions.)
<b>majority or 51% attack</b>	The number of malicious nodes > 25% of all nodes for attack	Reduced 51% attack probability	Easier to organize a 51% attack if delegates combine their power	Reduced 51% attack probability	The number of malicious nodes > one third of all nodes for attack	Not tested at scale
<b>Susceptible to Sybil attack</b>	No	Yes	Yes	No	Yes	No
<b>Examples</b>	Bitcoin, Ethereum, Litecoin, Monero, Dash, Zcash, Decred, and more.	Ethereum 2.0, Cardano, Polkadot, BlackCoin, Peercoin	EOS, BitShares, Lisk, Steem, Ark, Nano, Cardano, and Tezos	Hyperledger Sawtooth	Hyperledger Fabric, Zilliqa	IOTA
<b>Transactions per second (TPS)</b>	Bitcoin: 7 maximum 27	Ethereum: 15	EOS: 3,996 BitShares: 3,300	Hyperledger Sawtooth: 2,300	Hyperledger Fabric: approximately 3,500	IOTA: 250 IOTA Pollen V0.2.2: >1000
<b>Block confirmation time (seconds)</b>	Bitcoin: 6,000 Litecoin: 150	Ethereum: 15 seconds	EOS: 0.5 BitShares: 3	No actual time is found	In seconds' level (No actual time is found)	120

**Zero-Knowledge Proofs.** One of the primary use cases for Zero-Knowledge Proofs in Blockchain is shown in the following. When a user makes a request to send another user

some money, the Blockchain naturally wants to make sure, before it commits this transaction, that the user who is sending money has enough money to send. However, the Blockchain

does not really need to know or care who is spending the money, or how much total money he/she has. In this case, the Blockchain has zero knowledge about who is the user to send the money and how much money the user has.

Zero-knowledge proofs are a cryptographic principle used in some Blockchains to increase the privacy of users. Currently, Ethereum does not have support for zero-knowledge proofs, but adding the necessary functionality for zkSNARKS, a type of zero-knowledge proofs, is currently included in the Ethereum development roadmap.

**Hash Functions.** Hash functions are a key technology used in the Blockchain. A hash function is a mathematical equation with five important properties for cryptography:

- **Fixed Size.** Hash functions can take anything as input and create an output with a fixed size. This makes it possible to condense anything into a piece of data of a fixed size. So Blockchains use hash functions to condense messages for digital signatures.
- **Preimage resistance.** Given an input, it is not hard to calculate a hash output. However given the hash output, it is mathematically impossible to reverse-engineer the original input. In fact, the only possible way is to randomly input the data into the hash function until the same output is produced.
- **2<sup>nd</sup> Preimage Resistance.** If an input and its hash output are given, to get the second input that produces the same hash output is computationally infeasible.
- **Collision Resistance.** Finding any two distinct inputs is computationally infeasible to produce the same hash output.
- **Big Change.** If any single bit of the input is changed, it will produce the entirely different hash output.

Fig. 3 shows that cryptographic hash function provides a way to link all blocks on the Blockchain together. On the block level, hash of previous Block  $i-2$  header is stored in Block  $i-1$ , hash of previous Block  $i-1$  header is stored in Block  $i$ , hash of previous Block  $i$  header is stored in Block  $i+1$ , and so on.




Fig. 3. Blockchain Connection Structure and Merkle Tree with Hash Function.

Within a block, there are multiple transactions. Blockchain also hashes every transaction and for a Merkle Tree at the bottom part of Fig. 3 and Merkle Root is stored in the block header. In this way, Blockchain creates a distributed ledger that is immutable, secure, and extremely trustworthy. If any block or any transaction or information on that block is modified, no matter how small, it will be discovered immediately and the link between that block and all subsequent blocks will be broken.

**P2PKH address.** Besides Blockchain connection structure, Merkle Tree and the PoW mining algorithm mentioned in the previous session, cryptographic hash functions are also used in Bitcoin pay to public key hash (P2PKH) addresses [46]. Hash functions and public key cryptography are used to create the P2PKH address for the Bitcoin user to send and receive funds (Fig. 4). Due to one-way function, it is impossible to reverse engineering from the address to its public key and to its private key.




Fig. 4. Public Key Cryptography and Hash Function for Bitcoin Address.

The length of a key is not changed. The size of a private keys is 32 bytes, and the size of a public key is 65 bytes (or 33 bytes for a compressed public key). The size of P2PKH address is 20 bytes.

#### IV. BLOCKCHAIN APPLICATIONS

From the survey, the applications of Blockchain include cryptocurrency, finance (stock exchange, financial services, P2P financial market, crowdfunding, etc), Internet-of-Things (IoT) (safety and privacy, e-business, etc), reputation system (web community, academics, etc), security and privacy (security enhancement, risk management, privacy protection, etc) [3], healthcare, insurance, copyright protection, energy, society applications (Blockchain music, Blockchain government), advertising [47], defense, mobile applications, supply chain, automotive [28], agricultural sector [48], identity management, voting, education, law and enforcement, asset tracking [49], digital records, intrusion detection [50], digital ownership management, property title registries, and so on. Fig. 5 illustrates the spiral increasing applications of Blockchain technology. It is expected that more and more use cases of Blockchain systems are emerging.

In the following sub-sessions, cryptocurrency as the first application, supply chain as a widely use case and Smart Dubai Office as a first whole government service application are selected for the further information to be presented.

##### A. Cryptocurrencies

The first cryptocurrency is Bitcoin, which was announced in 2008 and launched in 2009. The maximum number of Bitcoin is 21 million BTC. Once one mining node (miner) finds a nonce value that matches the difficulty and succeeds in having a block accepted, the miner obtains a transaction fee (\$24 and \$31) and a mining reward of 6.25 BTC at this moment. For every 210,000 blocks (roughly 4 years), the mining reward gets cut in half. Currently just under 90% of BTC has been mined. After Bitcoin, the market cap of

Ethereum (ETH) is roughly 19% of Bitcoin's size and ranks as the second-largest cryptocurrency currently. Cryptoslate lists 2403 top cryptocurrencies by market capitalization in its coin rankings [51]. Among them, 7 cryptocurrencies which are mentioned as consensus use examples in the previous session are shown in Table II.




Fig. 5. Blockchain Applications

Pros of cryptocurrencies include:

- Cryptocurrencies are good use cases for Blockchain which make full use of the advanced features of Blockchain.
- Payments go directly from one person to another.
- The processing fee is tiny.
- There are no delays and no limits for sending money.

Cons of cryptocurrencies include:

- There is no control, which may incur the black money.
- It may suffer the security attack and lose the digital assets.
- The government regulations are lacked and some policies may be launched to manage or control the cryptocurrencies.
- Some comments that it is highly risky and speculative to invest in cryptocurrencies. For example, Tesla alerted investors about the volatility of Bitcoin's price in its SEC filing [53].

### B. Supply Chains

Blockchain technology offers distributed ledgers that create a permanent and shared record of every transaction. All recorded transactions are visible to authorized participants, traceable within the ledger, immutable and irrevocable, which prompt the increasing usage of Blockchains for data sharing in supply chains. For example, IBM has released permissioned Blockchain-based data sharing solutions for supply chains with a particular focus on logistic [3]; and the cold-chain logistics solution from VeChain uses Blockchain to track and monitor the logistic information for transparent, regulated, secure and reliable data sharing [4]. In Makerchain [54], twinning unique chemical signature data to Blockchain is presented as an anti-counterfeiting method.

In addition, various Blockchain technologies have been presented to enhance the security, transparency, and traceability of the supply chain. In [55], Blockchain technology is used to secure smart manufacturing in industry 4.0 which addresses cybersecurity issues in the manufacturing systems. In [56], Blockchain is used to achieve sustainability from the manufacturing system perspective and the product lifecycle management perspective. ManuChain [57] based on a permissioned Blockchain network is presented to get rid of unbalance/inconsistency between holistic planning and local execution in individualized manufacturing systems.

TABLE II. CRYPTOCURRENCIES [52]

	Launched Year	Launched Price	Unit Price on Jan 1, 2021 (USD)	Unit Price on Feb 27, 2021 (USD)	Market capitalization on Feb 27, 2021 (USD)	Mined Numbers	Total Number
Bitcoin (BTC)	2009	0.0008 USD	28,994.01	47,781.33	890.6 billion	near 90%	21,000,000
Ethereum (ETH)	2014	Presale: 0.30 USD Homestead launched: 12.50 USD	737.71	1,502	172.5 billion	114.84M	Currently no implemented hard cap, & limited to 18 million per year
Cardano (ADA)	2017	0.019 EUR	0.31	1.36	43.4 billion	around 71%	45,000,000,000
Polkadot (DOT)	2020	1.2 USD	9.12	33.64	30.7 billion	1,049,328,830	Does not have a maximum supply
Litecoin (LTC)	2011	4.3 USD	124.67	176.31	11.8 billion	around 79%	84,000,000
Bitcoin Cash (BCH)	2017	543 USD	below 400	501.3	9.4 billion	near 89%	21,000,000
EOS	2017	2.29 USD	2.5975	3.68	3.5 billion	near 93%	1,027,393,754
IOTA	2016	Unknown	0.2969	1.1532	3.2 billion	2,779,530,283	2,779,530,283

### C. Smart Dubai Office

Dubai is investing in the Smart Dubai Office (SDO) and adopts Blockchain technology to transform government from a service provider to a service enabler at a city-wide scale. It is funding Blockchain implementation at many levels.

- Government services are implemented with Blockchain technology
- Empower startups and businesses to create the Blockchain industry
- Set up a pioneer example for the government services built upon the Blockchain technology.

### V. SECURITY RISKS AND ATTACKS WITH BLOCKCHAIN

As Blockchain is decentralized without engaging any third party and needs to ensure trust in the trustless infrastructure, security on Blockchain itself is worthy to conduct the research. This section will focus on security risk with the

Blockchain technology, and survey on real attacks and bugs on Blockchain systems.

#### A. Security Risks on Blockchain

Top 10 Web Application Security Risks listed by the OWASP Top 10 is analyzed and assessed on Blockchain technology [58], and its assessment results are summarized in Table III. The OWASP Top 10 is a widely known document about top critical security risks in the web applications, and Blockchain technology faces 9 out of top 10 risks as shown in Table III. Thus, the security on Blockchain is one of key components to the success of Blockchain business applications.

One research group surveyed and analyzed the vulnerabilities on Blockchain systems from 2009 to May 2017, and listed nine categories of Blockchain security risks at low level in Table IV [29].

TABLE III. TOP 10 WEB APPLICATION SECURITY RISKS ON BLOCKCHAIN TECHNOLOGY [58]

Top 10 Web Application Security Risks	Assess on Blockchain Technology	Analysis Examples
Injection	Poor input sanitization in Blockchain technology.	Before the EOS mainnet launches, discovered vulnerability of buffer-out-of-bounds write in EOS smart contract and potential to run the malicious smart contract
Broken Authentication	A large attack surface exists without proper implementation of authentication functionality	The cryptocurrency LISK is an example of allowing an attack on authentication.
Sensitive Data Exposure	High potential to this vulnerability	Vulnerable to data mining efforts - mining the public data on Blockchain for useful information; Quantum computing will break the public key cryptography used to encrypt data on the Blockchain.
XML External Entities (XXE)	Not applicable	
Broken Access Control	One major vulnerability for smart contracts	Two attacks on Parity multi-signature wallets due to access control vulnerabilities
Security Misconfiguration	Affect Blockchain security	Attackers exploited vulnerability to steal cryptocurrency when Ethereum wallets were configured to receive external commands from port 8545.
Cross-Site Scripting (XSS)	Affect Blockchain in some ways	Blockchain explorers under XSS attack could display untrusted transaction data; Both Blockchain explorers and wallet under XSS attack could allow access to a private key of a user and control over his/her account.
Insecure Deserialization	May compromise of Blockchain systems	If malicious users control transaction data, Blockchain systems may be compromised by the vulnerable deserialization code.
Using Components with Known Vulnerabilities	Very common to reuse code for Ethereum smart contracts	More than 90% of smart contracts in Ethereum did reuse code, and may contain known vulnerabilities
Insufficient Logging & Monitoring	The log owners may un-monitor their logs.	May smart contracts lack of monitoring and hackers may exploit their vulnerabilities without being detected.

TABLE IV. BLOCKCHAIN SECURITY RISK CATEGORIES AT LOW LEVEL IN [29]

S/N	Category
1	51% vulnerability
2	Criminal activity
3	Private key security
4	Transaction privacy leakage
5	Double spending
6	Criminal smart contracts
7	Under-priced operations
8	Smart contract's vulnerabilities
9	Under-optimized smart contract

Another research group presented the Blockchain security at the higher level. They pointed out that like the traditional computing, the Blockchain also faces the potential attacks of Denial-of-Service (DoS), endpoint security, intentional misuse, code vulnerabilities, and data protection, but the details of launching attacks vary [40]. Other than DoS attack, some research work also presented BGP (Border Gateway Protocol) hijacks by manipulating routing advertisements, routing attack by delaying the propagation of blocks or isolating some parts of Blockchain network, eclipse attack by isolating a victim from the view of network, EREBUS attack by making malicious transit autonomous systems (ASes) as man-in-the-middle network of Bitcoin nodes to inference the nodes' decision as a stealthier attack, DNS attacks, and remote side-channel attacks. We put those attacks under network attacks category. Our paper adds one more risk category of human negligence since the human is a weak point in any

systems. Table V lists six risk categories which may be exploited by attackers to launch attacks.

Combining Table III, Table IV and Table V, we come to have the comprehensive view of security risks on Blockchain shown in Table VI. Some other low level security risks such as wallet security, Sybil attacks, personal key security to highlight its importance, and liveness attack, balance attack, timejacking attacks, finney attack, race attack and SelfHolding attack which we put under intentional misuse category are also listed in Table VI. In the table, it is clear that the code vulnerabilities have the most risk surfaces on Blockchain. Under the code vulnerabilities, we divide codes into core software code which Blockchain 1.0 and 2.0 are built upon, and smart contract which only exists in Blockchain 2.0. Under the core software code, we highlight the wallet security since quite a number of attacks hack the wallets.

TABLE V. BLOCKCHAIN SECURITY RISK CATEGORIES AT HIGH LEVEL

Risk	Description
Network Attacks	As shown in Table I, Blockchain has the limited number of transactions per second. DoS attacks may submit more transactions than the Blockchain's capability and cause the Blockchain unavailable.  Besides DoS, BGP attack, routing attack, eclipse attack, stealthier attack, DNS attacks, remote side-channel attacks are also under this category.
Endpoint Security	Endpoints can be heterogeneity which have more options to exploit the vulnerabilities. Endpoints can be also homogeneity which a flaw in one system can exist in all systems.
Intentional Misuse	As shown in Table I, the attackers may control more nodes to launch like 51% type of attacks;
Code Vulnerabilities	Code vulnerabilities can come from smart contract which anyone can write or the underlying platform code. The vulnerabilities have the wide-reaching impact due to the distributed network and the code cannot be modified once deployed. Intentionally write malicious smart contract.
Data Protection	Data protection relies upon the Blockchain instead of data owners to provide the data integrity and availability.
Human Negligence	The log owners may un-monitor their logs.

## B. Real Attacks and Bugs on Blockchain Systems

In this paper, we survey some real attacks and bugs on Blockchain system to raise awareness of the need for security on Blockchain systems. Users use exchange platforms to make transactions on Blockchain, and in Blockchain a private key is kept in a digital wallet. Hence, exchange platforms and wallets are parts of blockchain systems.

### 1) Core Software Bug

Occurred in August 2010, the CVE-2010-5139 vulnerability was the most famous software bug in the Bitcoin network due to an integer overflow vulnerability in its protocol. Due to this bug, an invalid transaction of 0.5 BTC replaced with 184 trillion BTC was added in a normal block, and it took more than 8 hours to resolved this problem [59]. In addition, when the version of Bitcoin upgraded from v0.7 to v0.8, there was a bug that a block processed in v0.8 was not processed in v0.7 because the database used BerkeleyDB in v0.8 and used LevelDB in v0.7. This bug caused the 6-hours different Blockchains existed on the nodes with v0.8 and nodes with v0.7 [59].

### 2) Attacks Related to Cryptocurrency Exchange Platforms

In 2011, attackers took away several thousand BTC from Mt. Gox of Tokyo-based Bitcoin exchange due to deficiencies in network protocols, and in March 2014, another 650,000 BTC in its online coffers were stolen by hackers, which caused the Mt. Gox to file for bankruptcy, due to a bug in the Bitcoin software to allow users to modify transaction IDs [60]. In December 2013, anonymous marketplace Sheep Marketplace had to shut down after it announced that one site vendor exploited a vulnerability and stole 5400 BTC [61]. In August 2016, the hackers stole 119,756 BTC from the third-largest Bitcoin exchange Bitfinex [62]. In July 2020, hackers hacked Cashaa of U.K.-based cryptocurrency exchange and stole 336+ BTC. In August 2020 hackers attacked a European cryptocurrency trading platform - 2gether's servers and stole away \$1.39 million [63].

### 3) Attacks with Wallets

The user's wallet in the Blockchain system stores his/her credentials and tracks digital assets associated with his/her address, the user credentials and any other information associated with his/her account. There were some attacks in the past 10 years.

TABLE VI. COMPREHENSIVE BLOCKCHAIN SECURITY RISK CATEGORIES

C1: Network Attacks	C2: Endpoint Security	C3: Intentional Misuse	C4: Code Vulnerabilities	C5: Data Protection	C6: Human Negligence
DoS, BGP hijacks, Routing attack, Eclipse attack, Stealthier attack, DNS attacks, Remote side-channel attacks	51% vulnerability, Sybil attacks, Personal key security, Mining malware, Cryptojacking Attacks	Injection, Insecure Deserialization, 51% vulnerability, Criminal activity, Double spending, Selfish mining, Liveness attack, Balance attack, Timejacking attacks, Finney attack, Race attack SelfHolding attack	<b>Core software code (Blockchain 1.0, 2.0):</b> Injection, Using Components with Known Vulnerabilities, Security Misconfiguration, Broken Authentication, Broken Access Control, Insecure Deserialization, XSS, Transaction privacy leakage, Double spending, Private key security <b>Wallet security</b> <b>Smart contract (Blockchain 2.0):</b> Vulnerabilities in smart contract, Criminal smart contracts, Under-priced operations, Under-optimized smart contract	Sensitive Data Exposure, Privacy leakage	Insufficient Logging & Monitoring, Security Misconfiguration



- Reported on September 5, 2012, Bitflood, the fourth largest exchange dealing in US dollars, announced that hackers had hacked Bitflood's server to access to an unencrypted backup of the wallet keys and transfer away 24,000 BTC [64].
- On April 3, 2013, hackers hacked Instawallet, and stole 35,000 BTC and caused Instawallet to suspend operation indefinitely [65].
- On August 11 2013, the Bitcoin Foundation announced that hackers exploited a generation bug of an old pseudo random number to enable them to solve the private key and steal balances from users' wallets [66].
- On both October 23 and October 26, 2013, Australian Bitcoin bank was hacked, and all 4,100 BTC held by the wallet service stored in the US sever were stolen by hackers [67].
- Due to the multi-signature vulnerability in the Parity Wallet, a hacker stole 30M from at least three Ethereum accounts by compromised their addresses on July 19, 2017 [68]. Unfortunately, the deployed new version of Parity Wallet library contract had an undiscovered bug of not proper initialization at that time and caused that another accident was triggered on November 6, 2017 and the funds in affected multi-sig wallets were frozen [69].

#### 4) Attacks and Bugs with Smart Contract

One real instance of attacks on smart contract is that when a specific smart contract DAO (Decentralized Autonomous Organization) built on Ethereum for the crowd-based venture capital fund, a hacker exploited its code weakness and stole more than \$50 million worth of cryptocurrency reported on June 17, 2016 [70]. A hacker made use of sloppy smart contract coding to drain the funds in the smart contract [71]. On June 19, 2016, Vitalik Buterin listed categories of bugs with Ethereum contracts including variable/function naming mix-ups, public data that should not have been public, reentrancy (A calling B calling A), sends failing due to 2300 gas limit, arrays/loops and gas limits, and subtle game-theoretic weaknesses [72].

In January 2017, there was Ether.Camp's Hacker Gold HKG which a bug was discovered with the contract code that read "="+ instead of "+=" [73]. In October 2017, there was \$500K hack challenge from SmartBillions and two hackers hacked and took away 400 ETH (US\$120,000) before the hackathon was stopped by SmartBillions [74]. In January 2018, a hacker discovered a bug of integer overflow with smart contract using in Proof of Weak Hands (PoWH) coin and stole 888 ETH [75]. In October 2018, an attacker launched a reentrancy attack targeted at smart contracts of Spankchain and drained 165.38 ETH [76].

#### 5) Network Attacks

In August 2014, a research team in Dell SecureWorks Counter Threat Unit discovered that a BGP hijacker redirected the connections of cryptocurrency miners to a hijacker-controlled mining pool and obtained the miners' profit of estimated \$83,000 within four plus months [77]. In September 2016, DDoS (Distributed DoS) attack was discovered to attack the Ethereum network such that an EXT\_CODESIZE opcode was called about 50,000 times per block by the attack transactions and hence greatly slowed down the network [78].

#### 6) Endpoint Attacks

Malware is one of endpoint attacks. According to report, malware infected more than one million computers which were used by attackers to mine the 26+ million cryptocurrencies' token [79]. Cryptojacking is another endpoint attack, which cryptocurrency is mined in the web browser of user while visiting a web. The attackers hacked and injected cryptomining scripts to Pirate Bay [80], CBS's Showtime [81] in 2017 and the Indian government web pages [82] in 2018 and gained the visitors' mining award by using the visitors' computers for mining. Attackers also injected cryptojacking code to third-party software (e.g., Google Tag Manager [83] and WordPress [84] in 2017, and Drupal [85] in 2018), and advertisements (e.g., YouTube ads [86] in 2018). Cryptojacking was also through 200,000 MikroTik routers infected by malware [87] in 2018, and corrupted Starbucks café's WiFi [88] at Buenos Aires in 2017 to let the infected computers to mine the cryptocurrencies.

#### 7) Attacks with IOTA

In January 2019, a hacker launched a phishing attack to collect the users' privacy keys for six months and then stole the users' mIOTA worth \$3.94 million [89]. At the same time, there was a DDoS attack on the IOTA network such that the IOTA developers were too busy to discover the hacker's theft activity [89]. In February 2020, to stop an attacker from stealing funds, the IOTA Foundation had to turn off the coordinator node for more than 12 days which was responsible for confirming all transactions. The hackers broke IOTA own designed hash-function and could forge transactions [90].

Expanding from Hydra [91] and KEVM [92], we summarize attacks, attack years, categories based on Table VII, exploit values and root causes in Table VII. The total amount of exploit values at current BTC and ETH prices is more than \$40 billion. Thus, the hackers have been and will continue being incentive to hack the Blockchain systems to gain the huge benefit.

## VI. SECURITY MEASURES FOR BLOCKCHAIN

### A. Security Analysis

**Smart Contract Bytecode Vulnerability Analysis.** In 2016, Oyente was developed to find potential security bugs of smart contracts [93]. In 2018, Securify was presented as a security analyzer to automatically prove Ethereum smart contracts as unsafe/safe [94]. In 2018, ZEUS used symbolic model checking and abstract interpretation to validate the fairness and confirm the smart contracts' correctness and about 94.6% of contracts were evaluated as vulnerable [95]. The well-known smart contract bytecode vulnerability analysis tools are listed in Table VIII. Besides Oyente, Securify and ZEUS, the interesting readers may find the more detailed information about the analysis tools via their references.

In Table VIII, all tools have detected the certain vulnerabilities with a number of smart contracts, although some tools detect more vulnerabilities and/or detect more number of vulnerable contracts. In other words, the developers should pay the great attention on designing smart contract against known or unknown attacks since not all contracts are secure enough. The other features of individual tools are also listed in the table so as to facilitate the users to know more about the analysis tools for smart contract.

TABLE VII. ATTACKS, EXPLOIT VALUES AND ROOT CAUSES

Attack	Year Category	Exploit Value	Root Cause
Mt. Gox	2011 C1	Several thousand BTC	Deficiencies in network protocols
Bitfloor	2012 C2	24,000 BTC (\$250K)	Bitfloor's server was hacked to leak an unencrypted backup of the wallet keys
Instawallet	2013 C4	35,000 BTC	Instawallet was hacked
Bitcoin Foundation	2013 C6		A generation bug with old pseudo random number
Sheep Marketplace	2013 C4	5400 BTC	One site vendor exploited a vulnerability
Mt. Gox	2014 C4	650,000 BTC (\$450M)	A bug in software to allow users to modify transaction IDs
Dell SecureWorks	2014 C1	\$83,000	BGP hijack
DAO	2016 C4	\$50M	Code weakness: subtle game-theoretic weaknesses
Bitfinex	2016 C2 & C4	119,756 BTC (\$65M)	Hackers stole BTC.
Ethereum network	2016 C1 & C4		DDoS attack: calling EXTCODESIZE opcode roughly 50,000 times per block
Gold HKG	2017 C4		A bug with contract code that read "==" instead of "+="
Parity Wallet	2017 C4	\$30M	Addresses were comprised (Delegate call+exposed self-destruct)
SmartBillions	2017 C4	400 ETH (\$120,000)	Broke into smart contract Broken caching mechanism
Parity Wallet	2017 C4	\$300M	An undiscovered bug of not proper initialization (Delegate call+unspecified modifier)
Cryptojacking	2017 - 2018 C2 & C4	-	Hacked and inserted cryptomining script or cryptojacking code
PoWH	2018 C4	888 ETH	Integer overflow
Spankchain	2018 C4	165.38 ETH	Reentrancy attack
IOTA	2019 C2	\$3.94M	A phishing attack to collect the users' privacy keys
IOTA	2020 C4		Custom-made hash-function was broken
Cashaa	2020 C2	More than 336 BTC	Suspect a piece of malware was installed onto the system
2gether	2020 C2	\$1.3M	2gether's servers was hacked

**Transactions and Transaction Logs analysis.** In 2020 TxSpector [103] was the first generic framework to perform bytecode-level, logic-driven analysis on Ethereum transactions for attack detection, such as Reentrancy, UncheckedCall, Suicidal Vulnerability, Timestamp Dependence, Misuse-of-Origin, Failed Send, Mishandled Exception, Unsecured Balance, and DoS. Based on the transaction logs, an Ever-evolving Game was presented also in 2020 to analyze attacks in real-world and defenses adopted in the wild [104].

**Honeypot Smart Contracts.** Instead of exploit the vulnerabilities of smart contracts, hackers developed honeypot smart contract with hidden traps, and HONEYBADGER

was developed in 2019 to analyze more than 2 million smart contracts and identify 690 honeypot smart contract [105].

**Consensus Algorithm Analysis.** In 2016 a group of researchers from ETH Zurich and NEC Laboratories presented a framework to quantitatively analyze the PoW's security and performance [106]. In 2019 Zhang and Preneel evaluated and showed that PoW could not achieve the ideal chain quality and could not be resistant against attacks of selfish mining, double-spending and feather-forking [107].

### B. Detecting Malicious Codes & Bugs

In 2018 Jiang et al. proposed Contractfuzzer to fuzz smart contracts to detect vulnerability [108], Liu et al. presented Reguard of a fuzzing-based analyzer in their demo paper to automatically detect the reentrancy bugs of the most common bug type in the smart contracts [109], and Hydra was developed by Breidenbach et al. to use bug bounties to enable rewarding of critical bugs and runtime detection [91]. In 2019, EVMFuzzer was proposed to use differential fuzzing technique by continuously generating seed contracts as input to the target EVM and base on the execution results to detect vulnerabilities of EVM [110]. In 2020, a lightweight test-generation approach - HARVEY was presented to effectively detect security vulnerabilities and bugs for smart contracts [111].

### C. Core Software Codes Security

In 2017 SmartPool as a decentralized mining pool was designed to prevent the phenomenon that close 80% of Ethereum's and 95% of Bitcoin's mining power resided with less than six and ten mining pools respectively [112]. In 2019 Drijvers et al. pointed out subtle flaws with the two-round multi-signature scheme and then proposed mBCJ as a provably secure yet highly efficient alternative [113]. In 2020 Drijvers et al. presented Pixel, a pairing-based forward-secure multisignature scheme, against posterior corruptions attack [114], and Sun et al. presented Counter-RAPTOR to mitigate and detect active routing attacks [115].

### D. Secure Smart Contract

In 2016 Luu et al. presented methods to enhance Ethereum operational semantics to reduce the smart contracts' vulnerabilities [96]. In 2016, Town Crier was developed to ensure only authenticated data to be input into the smart contracts [116]. In 2018 FSolidM was presented as a tool to enable the developers defining secure smart contracts as FSMs (finite state machines) and enhance security and functionality [117], and Arbitrum was designed to verify off-chain on what a VM would do so as to improve scalability and privacy [118]. In 2020 a research group from Korea University described VERISMART to ensure arithmetic safety to address security concerns of Ethereum smart contracts [119].

### E. Smart Contract Verification

In 2018 Amani et al. created a program logic at the bytecode level to extend an existing EVM formalisation so as to formally verify EVM smart contracts [120], and a formal modeling approach was proposed by Abdellatif & Brousmiche to verify the Blockchain and users' behavior of the smart contract [121]. In 2020 Sun & Yu established a framework to verify the security vulnerabilities of smart contracts, e.g., the Binance Coin (BNB) contract [122], and Permenev et al. presented VerX to verify the functional properties of smart contract of Ethereum automatically [123].

TABLE VIII. SMART CONTRACT BYTECODE VULNERABILITY ANALYSIS TOOLS AND FEATURE COMPARISON

Smart Contract Analysis Tools	Analysis Domain	Vulnerabilities Detected	Number of Smart Contracts Analyzed	Number of Vulnerable Smart Contracts	Remark
Oyente [96]	Symbolic execution	Timestamp Dependence, Transaction-Ordering Dependence, Mishandled Exceptions, Reentrancy	19,366	8,833	The first symbolic execution-based tool
Mythril [97]	Symbolic execution	Integer Underflows, Owner-Overwrite-to-Ether-Withdrawal, and others	Unknown	Have, but no given number	
teEther [98]	Symbolic execution	Erroneous Visibility, Erroneous Constructor, Semantic confusion, Logic Flaws, Inter-Contract Exploits	38,757	815	
Manticore [99]	Symbolic execution	Unprotected Function, Integer-Overflow, Undefined Behaviour, Misconfiguration, Numeric, Timing, Business Logic.	100	Have, but no given number	
ZEUS [95]	Abstract interpretation	Reentrancy, Failed Send, Unchecked Send, Integer Overflow/Underflow, Transaction State Dependency, Incorrect Logic, Absence of Logic, Block State Dependency, Logically Correct but Unfair, Transaction Order Dependency	22,493	21,281 (94.6%)	Check smart contracts written in Solidity against a user-defined policy
MAIAN [100]	Symbolic execution	Entire Contract Execution traces, i.e., Leaky Contracts, Prodigal Contracts, Suicidal Contracts, Greedy Contracts	970,898	34,200	Detecting across a long invocation sequence a smart contract
Securify [94]	Data-flow analysis	Ether Liquidity, Unrestricted Write, No Writes After Calls, Restricted Transfer, Mishandled Exception, Transaction Ordering Dependency, Unexpected Arguments	Ethereum Virtual Machine (EVM): 24,594; Solidity dataset: 100	6.50%	Explore all contract behaviours
Vandal [75]	Abstract interpretation	Reentrancy, Unsecured Balance, Use of ORIGIN, Destroyable Contract, Unchecked Send	141,000	Have, but no given number	Convert bytecode to semantic logic relation
MadMax [101]	Abstract interpretation	Unbounded Mass Operations, Integer Overflows, Non-Isolated External Calls in Wallet Griefing, Incentive attacks	6.33 million	5.42%	A tool to find gas-based vulnerabilities
Osiris [102]	Symbolic execution	Integer Bugs: truncation bugs, arithmetic bugs, and signing-related bugs	1.2 million	42,108	
ETHBMC [98]	Symbolic execution	Extract Ether, Redirect Control Flow, Self-destruct Contract, Parity Vulnerability, more exploits	roughly 2.2 million	5,905	More precisely reasoning of EVM internals

#### F. Privacy Preserving

In 2016 Hawk was developed to protect the privacy of transactions without storing the clear text on the Blockchain via a private smart contract [124]. In 2018 Obscuro was presented to provide a secure and efficient Bitcoin mixer so that payers and payees could not be linked together to achieve anonymous payments [125]. In 2019 Ouroboros Crypsinous was described to analyze the privacy-preserving PoS protocol [126], and BITE was developed to enable the privacy preserving requests from light clients [127]. In 2020 ZeXe was

demonstrated to achieve privacy-preserving analogues of some popular applications [128]. In 2020 remote side-channel attacks were presented on receiver privacy [129].

#### G. Monitor and Regulations against Hackers' Wallets

Cryptocurrency exchange platforms may lock any funds that were from the hacked wallet. New regulations of anti-money laundering (AML) are enforced to make difficulties to hackers to move the funds [130].

### H. Hard Fork

To respond the hacking of the DAO, Ethereum was divided into Ethereum Classic and the new Ethereum. As a hard fork from the original software, the new Ethereum can protect against further malware attacks. Ethereum Classic has tokens called ETC while the new Ethereum has tokens called ETH. Both the new Ethereum and Ethereum Classic have a common ancestry prior to Block 1,920,000.

## VII. CHALLENGES AND RESEARCH TRENDS

There are some existing surveys which have presented the future trends or scopes for Blockchain technology. Blockchain testing, big data analytics, Blockchain applications, smart contract, stop the tendency to centralization, and artificial intelligence are listed by the same research group in [3] [27]. Hybrid consensus mechanism, more efficient consensus, code obfuscation, execution trusted computing against privacy leakage risks, application hardening, and an efficient data cleanup & detection mechanism are presented in [29]. A standard testing mechanism, big data analytics, smart contract development and evaluation are proposed in [49]. Resolving bug of Blockchain technology, more use cases and applications, and promoting the awareness of Blockchain technology are described in [48]. Besides those valid trends and scopes, this paper would highlight the below challenges and research trends.

### A. Scalability

**Scalability on Transactions.** In Table I, the maximum TPS is from 27 of Bitcoin to EOS of 3,996. PoW is capable of processing anywhere between 10 and 27 TPS worldwide. Ethereum 2.0 will upgrade and switch to the more efficient protocol PoS to make Ethereum more scalable, and will support 1000s TPS [131]. A few delegates in EOS that uses DPoS consensus algorithm have the right to vote and validate blocks, and hence EOS is more centralized and is easier for some delegates to combine together to launch 51% attacks. The communication cost in PBFT quickly grows up if the number of nodes increases, and hence it is suitable for private setup without large number of nodes, but with many transactions. Currently Hyperledger Fabric based on PBFT achieves about 3,500 TPS. Hyperledger Sawtooth based on PoET achieves 2,300 TPS.

In 2019, Perun was proposed as off-chain payment channel system instead of on-chain transactions to increase TPS [132], and a sidechain construction was provided for PoS sidechain systems to enable the scalability [133]. In 2020, Yu et al. proposed  $O_{HIE}$  as a permissionless protocol to improve the transaction throughput to 4-10Mbps [134]. Currently, Ethereum and Bitcoin process only about 5KB or 10 TPS on average. So  $O_{HIE}$  can achieve 8,000 - 20,000 TPS. On the other hand, Visa's payment network can process over 65,000 TPS stated in August 2017 [135]. Thus, the scalability of Blockchain in terms of TPS in real distribution environment is still an outstanding challenge.

**Scalability on Chain Data Sharing.** The block sizes for Bitcoin, Bitcoin Cash and Ethereum are 1MB, between 8 MB and 32 MB, and under 60KB respectively. IBM Blockchain supply chain solutions [136] and VeChain [137] record the shared data on the Blockchain which limit the scalability of their solution. A large number of stakeholders may be involved in, and the data that need to be shared among the stakeholders could be massive and not limited to logistic data. As more stakeholders join and the shared data grows, the on-

chain data sharing system will be in danger of scalability issues.

To increase the scalability and also take advantage of Blockchain technology, the data can be shared on an off-chain dedicated channel and the link or even proof of the data sharing can be recorded in the Blockchain for tracing and auditing. Off-chain data sharing solutions require inter-company channels which increase the company's burden for building and maintaining these channels. In addition, these solutions cannot guarantee the integrity of the data shared by a company. For example, Company A can tamper the original data to make the data meet Company B's specific requirement and then share the data with Company B. To decrease the burden of the involved companies, the data can be positioned and shared on a cloud platform. We have proposed one technology in this area of a Blockchain-based access control and data sharing framework for supply chains, which can be referred to our patent filed document [138].

### B. Securer Software Codes

From Table VIII, we can know that almost every year attacks on software code and smart contract have happened. Security is a non-negotiable aspect for any asset related software. Smart contract security is high requirement because smart contract deals with the valuable information, e.g., cryptocurrencies, token, and other digital assets. The transactions built with smart contract are irreversible, and software codes of smart contract are very difficult to be modified or patched if a bug is discovered [139]. A few constraints on smart contracts are in place to secure the Blockchain environment from attackers. Additional to the accounts and transactions being immutable and secured through the cryptographically hashed chains, for example, EOS faces the challenge to secure the smart contract execution to withstand malicious attacks [140]. In 2020, there is a research work of Flash Boys 2.0 continuing to show the risks of smart contract that the arbitrage bots and miner extractable value of transaction-ordering dependencies in smart contracts pose a realistic threat to Ethereum [141]. According to [139], there is very hard to assure the security of smart contract code, and hence guarantee security of smart contracts is one of outstanding challenges for Blockchain.

### C. Audit, Zero Trust & Anomaly Detection

**Smart Contract Audit.** Before deployment of smart contract, one further step is to audit the smart contract. In 2018, Erays was presented to reverse engineering the smart contract into high-level pseudocode and then manually analyze several contract properties [142]. One of research trends could be to further develop an audit tool to automatically audit more or all properties of smart contract.

**Zero Trust Network Access for Endpoint Security.** Table VII also clearly shows the critical importance of endpoint security including the server security which needs to safely guard the users' credentials, ensure the wallet security, harden the sever protection and prevent phishing attacks, insider attacks and other unknown attacks. Thus, zero trust network access that continues authenticating the endpoints is one of research trends.

**Monitor and Anomaly Detection.** Network monitoring and attack/anomaly detection is the continuous effort for the Blockchain security. Machine learning, deep learning and federate learning on analyzing transactions, logs, behaviors, and data besides the existing parsing approach [143] would be

one of research trends to secure the Blockchain systems. ETH-EDS in 2020 used random forest classification to detect eclipse attacks [144], which is one example to use machine learning technology for attack detection.

#### D. Privacy Preserving

With more and more data stored on the Blockchain, a concern from the organization and individuals is the privacy leakage. Some techniques of code obfuscation, homomorphism encryption, trusted executing platform (e.g., Intel SGX), smart contract for privacy preserving would be the promising directions.

#### E. Quantum Computing Impact on Blockchain

**ECDSA.** In ECDSA used for signing transactions in Blockchain, a public key is calculated from its private key, with one way function that is easy to compute the public key in one direction of Elliptic curve multiplication, but is impossible to reverse engineering to do the division to get the private key because of the hardness of solving mathematical discrete logarithm problem, which assumes that an astronomical amount of time is required to solve and is hence not practical. Therefore, the users in Blockchain can sign the digital signature with their private key to show their ownership.

IBM, Intel, Google, Rigetti, D-Wave, IonQ, Microsoft and major nation-states are actively involving in research and developing quantum computing. In 1994, a quantum algorithm published by Peter Shor can break the security assumption of the most common algorithms of public key cryptography [145] and an improved Shor's algorithm is potential to break ECDSA [146].

Ethereum developers are testing the new quantum-resistance signature algorithms, such as XMSS, hash ladder signatures, and SPHINCS, and Ethereum 2.0 Serenity update will replace the ECDSA scheme. Post-quantum algorithms will be still hard problems for quantum computers. The National Institute of Standards and Technology (NIST) is processing and standardizing public-key cryptographic algorithms with quantum-resistance. In July 2020, NIST selected 15 algorithms from 26 post-quantum cryptography algorithms in the second-round list and now those 15 algorithms are in the third round of public review [147].

**Address.** Hash function's preimage resistance makes sure that given the P2PKH address, it is mathematically impossible to reverse-engineer its public key. If its public key is unknown, the quantum computer cannot derive its private key. However, once any amount of fund is transferred from a particular P2PKH address, its public key will be disclosure to verify its transaction digital signature, and hence its private key is no longer secure under the quantum computing. The worse situation is that a recipient's public key is directly used as the Bitcoin address called 'pay to public key' (P2PH). An analysis presented that about 25% of all Bitcoins (over 4 million BTC) are potential to suffer a quantum attack [148].

The Blockchain community shall also address the quantum computing impact on Blockchain. Only the post-quantum cryptography is resistant to quantum attacks. One of research trends is to investigate to apply the post-quantum cryptography into building the robust and quantum-resistant Blockchain. It will then have to hard fork the Blockchain, e.g., Blockchain 3.0, which implements the new post-quantum

cryptography protocol and is different from the current Blockchain.

#### F. IOTA Security

As Bitcoin and Ethereum based cryptocurrencies encounter the problems of scalability and transaction fees, IOTA may be a good alternative due to its very different nature structure of vertices and edges in using of DAGs instead of blocks + chain. With Tangle technology, IOTA claims to be very scalable without a limit and charges zero transaction fees. However, Tangle technology faces some concerns of not being able to store the transactions' order properly [149] and vulnerabilities with their own designed IOTA hash function called Curl. IOTA needs to overcome these challenges. When the technology is mature, it will be expected for the big adoption in the industry of IoT, a rapidly growing and huge potential area.

#### G. Regulation and Standard Issue

First, it is expected that the cryptocurrencies are getting popular, which create the convenience and save the cost for the fund transactions. On the other hand, it also weakens the countries' financial policies and control. Second, more international Blockchain applications are emerging. For example, Blockchain systems are used to verify the COVID-19 vaccine injection certificates. Hence there are the needs to have the regulations and agreements among different countries to mutually accept the injection certificates stored on the Blockchain systems. Third, even within the same country, multiple parties shall agree to use the Blockchain as a common infrastructure, which could be a big challenge, not to mention to make a common or international standard. Thus, regulation and standard will be one of challenges for the massive deployment of Blockchain systems.

## VIII. RELATED WORK

There are some survey papers about Blockchain. In January 2017, Sankar et al. described three broad types of Blockchains, and analyzed and compared qualitatively three consensus algorithms, namely Stellar consensus protocol, Corda and Hyperledger Fabric [26]. In June 2017, Zheng et al. surveyed on Blockchain architecture including types of Blockchain, compared consensus algorithms qualitatively, and presented the vulnerabilities of privacy leakage and selfish mining and migration solutions [27]. In August 2017, Park and Park surveyed about Blockchain structure and Bitcoin, presented the security challenges including the majority attack (51% attacks), security of transaction, security of software and security of wallet, and adapt Blockchain security to cloud computing [59]. Another work available online in August 2017 conducted the survey on the Blockchain security about the security risks, real attacks, and academic security enhancements till 2017. In September 2017, Lin and Liao presented security issues of 51% Attacks and some challenges including fork problem, data synchronization and confirmation time, regulations and integration cost problems [2].

In May 2018, a work from Kennesaw State University presented to use Blockchain and cryptography to ensure data confidentiality, authenticity, integrity and privacy preserving for various Blockchain applications, instead of security on Blockchain itself [28]. In October 2018, Zheng et al. conducted survey on Blockchain technology which including consensus algorithms, applications, challenges on scalability, privacy leakage, selfish mining, and future directions on

Blockchain testing, big data analytics, stopping the tendency to centralization, smart security analysis and artificial intelligence [3]. In November 2018, challenges and security with Blockchain were surveyed by Tunisia researchers [150]. In December 2018, Chen et al. surveyed only on Blockchain applications on different domains [47].

In August 2019, Monrat et al. conducted survey on Blockchain architecture including transaction process, block structure and characteristics of Blockchain, category of Blockchain, consensus procedures, Blockchain applications, trade-offs and future scope of Blockchain technology [49]. In November 2019, Dave et al surveyed the implementations of Blockchain technology in agricultural sector, education sector, supply chain management, healthcare industry, etc [48]. In March 2020, Aguiar et al. surveyed and used Blockchain technology to boost healthcare security and reliability and enhance patient privacy [30]. One survey work received in December 2019 and published in April 2020 presented the Blockchain technology, applications and issues including scalability, nothing-at-stake, etc [31]. In 2020, Saad et al. presented the systematical overview about the Blockchain attack surface [151]. In January 2021, Berdik et al. presented their survey paper on Blockchain to ensure the information integrity and security [32].

There are some survey papers on Blockchain security. In 2019, Dasgupta et al. surveyed the potential vulnerabilities of Blockchain and showed Blockchain development trends [152]. In 2020, Leng et al. examined Blockchain security from the process level, the data level and the infrastructure level to identify the research gap and suggest future directions of research in Blockchain security [153].

Table IX summarizes the related survey work and our work in this paper. It is also clear to show our contributions in this paper. First, we provide as many quantitative comparisons on consensus algorithms as possible while others only provided partial comparisons. Second, the security on Blockchain itself is a focus in this paper, which the majority of previous surveys only partially presented or did not present, and some survey papers on Blockchain security surveyed the potential vulnerabilities, and examined security in process, data and infrastructure levels respectively. In our paper, we assess the Blockchain security from risk analysis to derive comprehensive Blockchain security risk categories, analyze the real attacks and bugs against Blockchain and root causes, and present the recently developed security measures on Blockchain. Last but not list, Table IX shows that other survey papers cover 2 to 7 areas respectively, while our work consists more comprehensive survey on 8 areas of Blockchain.

TABLE IX. SUMMARIES OF VARIOUS SURVEY WORKS

	Blockchain Category	Consensus Protocols		Applications	Scalability	Blockchain Security	Quantum Computing	Future Direction
		Qualitative Comparison	Quantitative Comparison					
[26]	Yes	Yes						
[27]	Yes	Yes			Yes	Partial		Yes
[59]						Partial		
[2] [28]	Yes	Yes		Yes	Yes	Partial		
[3]	Yes	Yes	Partial	Yes	Yes	Partial		Yes
[154]				Yes				
[29]		Yes				Partial		Yes
[30]		Yes						
[31]	Yes	Yes	Partial		Yes	Partial		
[32]				Yes				
[49]	Yes	Yes	Partial	Yes	Yes			Yes
[48]				Yes		Partial		Yes
[150]	Yes	Yes		Yes		Partial		
[151]		Yes	Partial			Partial		Yes
[152]				Yes	Yes	Surveyed on vulnerabilities	Yes	Yes
[153]		Yes		Yes	Yes	Examined security in process, data and infrastructure levels	Yes	Yes
This paper	Yes	Yes	As many as possible	Yes	Yes	Comprehensive Blockchain security risk categories, real attacks, bugs & root causes, recent security measures	Yes	Yes

## IX. CONCLUSION

This paper has first conducted the deeper survey on the Blockchain technology in terms of overview, consensus algorithms, smart contract and cryptography for Blockchain. It has presented the history of Blockchain, compared five most common consensus algorithms and one most different consensus algorithm in as many details and as much quantitative as possible. Public key cryptography, Zero-Knowledge Proof and hash functions used in Blockchain have been described in details for integrity, authentication, nonrepudiation, and payment address required in Blockchain systems. This paper has then listed the comprehensive applications of Blockchain. It has further presented the rich information and comparisons of eight cryptocurrencies as the first Blockchain application, supply chain as a widely use case and Smart Dubai Office as a first whole government service application. Further, the security on Blockchain itself is a focus in this paper. It has described the comprehensive security risks categories based on Top 10 Web Application Security Risks, low level risks and high level risks. It has surveyed many real attacks and bugs on Blockchain systems and listed out their root causes. The paper has then presented the security measures in areas of security analysis, detecting malicious codes & bugs, software codes security, privacy preserving, and so on. Specially, it has presented and compared eleven smart contract bytecode vulnerability analysis tools. Finally, the challenges and research trends have been presented to build more scalable and securer Blockchain systems for the massive deployments.

We hope that our effort will help someone to understand the Blockchain technology and Blockchain security issues. The users who use Blockchain to do the transactions will pay more attention on the security of Blockchain itself. We also expect that the researchers will benefit from our study for their further research in developing Blockchain technology and addressing Blockchain security issues.

## REFERENCES

- [1] M. V. M. P. K. D. F. A. a. M. H. R. M. S. Ali, "Applications of blockchains in the internet of things: A comprehensive survey," *IEEE Communications Surveys and Tutorials*, vol. 21, no. 2, p. 1676–1717, 2019.
- [2] I.-C. Lin and T.-C. Liao, "A Survey of Blockchain Security Issues and Challenges," *International Journal of Network Security*, vol. 19, no. 5, pp. 653–659, 2017.
- [3] Z. Zheng, S. Xie, H.-N. Dai, X. Chen and H. Wang, "Blockchain challenges and opportunities: a survey," *International Journal of Web and Grid Services*, vol. 14, no. 4, pp. 352–375, 2018.
- [4] D. Chaum, "Computer Systems Established, Maintained, and Trusted by Mutually Suspicious Groups," <https://nakamotoinstitute.org/static/docs/computer-systems-by-mutually-suspicious-groups.pdf>, June 1982.
- [5] S. Haber and W. S. Stornetta, "How to time-stamp a digital document," *Journal of Cryptology*, vol. 3, no. 2, p. 99–111. , 1991.
- [6] D. Bayer, S. Haber and W. S. Stornetta, Improving the Efficiency and Reliability of Digital Time-Stamping. In: Capocelli R., De Santis A., Vaccaro U. (eds) Sequences II, New York: Springer, 1993, pp. . Springer, New York.
- [7] N. Szabo, "Bit gold," <https://unenumerated.blogspot.com/2005/12/bit-gold.html>, December 27, 2008.
- [8] S. Nakamoto, "Bitcoin: A Peer-to-Peer Electronic Cash System," <https://bitcoin.org/bitcoin.pdf>, October 2008.
- [9] R. Sheldon, "A timeline and history of blockchain technology," <https://whatis.techtarget.com/feature/A-timeline-and-history-of-blockchain-technology>, 2021.
- [10] V. Buterin, "Ethereum Whitepaper," <https://ethereum.org/en/whitepaper/>, 2013.
- [11] A. Groetsema, A. Groetsema, N. Sahdev, N. Salami, R. Schwentker and F. Cioanca, "Blockchain for Business: An Introduction to Hyperledger Technologies," The Linux Foundation, 2019.
- [12] P. Vasin, "BlackCoin's Proof-of-Stake Protocol v2," Accessed March 21, 2021 from <https://blackcoin.org/blackcoin-pos-protocol-v2-whitepaper.pdf>.
- [13] Crushcrypto, "WHAT IS DELEGATED PROOF-OF-STAKE?," Crushcrypto, 2021.
- [14] Intel Corporation, "PoET 1.0 Specification," 2016.
- [15] M. Castro and B. Liskov, "Practical Byzantine Fault Tolerance," in *Proceedings of the Third Symposium on Operating Systems Design and Implementation*, New Orleans, USA, February 1999.
- [16] S. Popov, "The Tangle," Accessed March 21, 2021 from <https://whitepaper.io/document/3/iota-whitepaper>, 2018.
- [17] Academy Binance, "What Is a Directed Acyclic Graph (DAG) in Cryptocurrency?," Academy Binance, Apr 29, 2021.
- [18] OpenEthereum, "Proof of Authority Chains," Accessed March 21, 2021 from <https://openethereum.github.io/Proof-of-Authority-Chains>.
- [19] J. Kwon, "Tendermint: Consensus without Mining," Accessed March 21, 2021 from <https://tendermint.com/static/docs/tendermint.pdf>, 2014.
- [20] B. Chase and E. MacBrough, "Analysis of the XRP Ledger Consensus Protocol," Accessed March 21, 2021 from <https://arxiv.org/pdf/1802.07242.pdf>, February 21, 2018.
- [21] L. Luu, V. Narayanan, K. Baweja, C. Zheng, S. Gilbert and P. Saxena, "SCP: A Computationally-Scalable Byzantine Consensus Protocol For Blockchains," IACR Cryptology ePrint Archive, 2015.
- [22] M. Ghosh, M. Richardson, B. Ford and R. Jansen, "A TorPath to TorCoin: Proof-of-Bandwidth Altcoins for Compensating Relays," Accessed March 21, 2021 from <https://dedis.cs.yale.edu/dissent/papers/hotpets14-torpath.pdf>, 2014.
- [23] NEM, "NEM Technical Reference.," Accessed March 21, 2021 from [https://nemplatform.com/wp-content/uploads/2020/05/NEM\\_techRef.pdf](https://nemplatform.com/wp-content/uploads/2020/05/NEM_techRef.pdf), 2018.
- [24] K. Karantias, A. Kiayias and D. Zindros, "Proof-of-Burn," in *In: Bonneau J., Heninger N. (eds) Financial Cryptography and Data Security. FC 2020. Lecture*

- Notes in Computer Science, vol 12059.*, Cham, Springer, 2020, pp. 523-540.
- [25] A. Hayes, "Proof of Capacity (Cryptocurrency)," Investopedia, September 24, 2020.
- [26] L. S. Sankar, S. M. and M. Sethumadhavan, "Survey of Consensus Protocols on Blockchain Applications," in *2017 International Conference on Advanced Computing and Communication Systems (ICACCS -2017)*, Coimbatore, India, January 06 – 07, 2017.
- [27] Z. Zheng, S. Xie, H. Dai, X. Chen and H. Wang, "An Overview of Blockchain Technology: Architecture, Consensus, and Future Trends," in *IEEE 6th International Congress on Big Data*, June 2017.
- [28] A. P. Joshi, M. Han and Y. Wang, "A survey on security and privacy issues of blockchain technology," *Mathematical Foundations of Computing*, vol. 1, no. 2, pp. 121-147, May 2018.
- [29] X. Li, P. Jiang, T. Chen, X. Luo and Q. Wen, "A survey on the security of blockchain systems," *Future Generation Computer Systems*, vol. 107, pp. 841-853, June 2020.
- [30] E. J. d. Aguiar, B. S. Façal, B. Krishnamachari and J. Ueyama, "A Survey of Blockchain-Based Strategies for Healthcare," *ACM Computing Surveys*, vol. 53, no. 2, p. 27, March 2020.
- [31] H. T. M. Gamage, H. D. Weerasinghe and N. G. J. Dias, "A Survey on Blockchain Technology Concepts, Applications, and Issues," *SN Computer Science*, vol. 1, no. 114, 2020.
- [32] D. Berdik, . S. Otoum, . N. Schmidt, D. Porter and Y. Jararweh, "A Survey on Blockchain for Information Systems Management and Security," *Information Processing and Management*, vol. 58, no. 1, January 2021.
- [33] S. King and S. Nadal, "PPCoin: Peer-to-Peer Cryptocurrency with Proof-of-Stake," <https://decred.org/research/king2012.pdf>, August, 2012.
- [34] Crushcrypto, "WHAT IS DELEGATED PROOF-OF-STAKE?," <https://crushcrypto.com/what-is-delegated-proof-of-stake/>, 2021.
- [35] D. Schmidt, "Delegated Proof of Stake," <https://www.benzinga.com/money/delegated-proof-of-stake/>, July, 2020.
- [36] Intel Corporation, "PoET 1.0 Specification," Accessed March 21, 2021 from <https://sawtooth.hyperledger.org/docs/core/releases/1.0/architecture/poet.html>, 2016.
- [37] J. Frankenfield, "Proof of Elapsed Time (PoET) (Cryptocurrency)," Investopedia, October 16, 2020.
- [38] Academy Binance, "What Is a Directed Acyclic Graph (DAG) in Cryptocurrency?," Accessed March 21, 2021 from <https://academy.binance.com/en/articles/what-is-a-directed-acyclic-graph-dag-in-cryptocurrency>.
- [39] "IOTA," Accessed March 23, 2021 from <https://www.iota.org/>.
- [40] R. Santos, K. Bennett and E. Lee, "Blockchain: Understanding Its Uses and Implications," The Linux Foundation, 2021.
- [41] T. Kozak, "Consensus Protocols That Meet Different Business Demands. Part I," intellectsoft, March 26, 2018.
- [42] CrushCrypto, "WHAT IS PROOF OF WORK?," <https://crushcrypto.com/what-is-proof-of-work/>, 2021.
- [43] CrushCrypto, "WHAT IS DELEGATED PROOF-OF-STAKE?," Crushcrypto, 2021.
- [44] CrushCrypto, "WHAT IS PRACTICAL BYZANTINE FAULT TOLERANCE (PBFT)?," Crushcrypto, 2021.
- [45] S. Zhang and J.-H. Lee, "Analysis of the main consensus protocols of blockchain," *ICT Express*, vol. 6, pp. 93-97, 2020.
- [46] A. M. Antonopoulos, *Mastering Bitcoin*, 2nd Edition, O'Reilly Media, Inc., June 2017.
- [47] W. Chen, Z. Xu, S. Shi, Y. Zhao and J. Zhao, "A Survey of Blockchain Applications in Different Domains," in *International Conference on Blockchain Technology and Applications (ICBTA)*, Xi'an, China, December 10–12, 2018.
- [48] D. Dave, S. Parikh, R. Patel and N. Doshi, "A Survey on Blockchain Technology and its Proposed Solutions," in *3rd International Workshop on Recent Advances on Internet of Things: Technology and Application Approaches (IoT-T&A 2019)*, Coimbra, Portugal, November 4-7, 2019.
- [49] A. A. Monrat, O. Schelen and K. Andersson, "A Survey of Blockchain From the Perspectives of Applications, Challenges, and Opportunities," *IEEE Access*, vol. 7, pp. 117134-117151, 2019.
- [50] W. Meng, E. W. Tischhauser, Q. Wang, Y. Wang and J. Han, "When Intrusion Detection Meets Blockchain Technology: A Review," *IEEE Access*, vol. 6, pp. 10179-10188, 2018.
- [51] Cryptoslate, "Coin Rankings," <https://cryptoslate.com/coins/>, February 28, 2021.
- [52] L. Conway, "The 10 Most Important Cryptocurrencies Other Than Bitcoin," Investopedia, Jun 1, 2021.
- [53] S. Kovach, "Tesla buys \$1.5 billion in bitcoin, plans to accept it as payment," CNBC, February 8, 2021.
- [54] J. Leng, P. Jiang, K. Xu, Q. Liu, J. L. Zhao, Y. Bian and R. Shi, "Makerchain: A blockchain with chemical signature for self-organizing process in social manufacturing," *Journal of Cleaner Production*, vol. 234, pp. 767-778, 2019.
- [55] J. Leng, S. Ye, M. Zhou, J. L. Zhao, Q. Liu, W. Guo., W. Cao and L. Fu, "Blockchain-Secured Smart Manufacturing in Industry 4.0: A Survey," *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, vol. 51, no. 1, pp. 237-252, 2021.
- [56] J. Leng, G. Ruan, P. Jiang, K. Xu, Q. Liu and X. Zhou, "Blockchain-empowered sustainable manufacturing and product lifecycle management in industry 4.0: A survey," *Renewable and Sustainable Energy Reviews*, vol. 132, no. 110112, 2020.



- [57] J. Leng, D. Yan, Q. Liu, K. Xu, J. L. Zhao, R. Shi, L. Wei, D. Zhang and X. Chen, "ManuChain: Combining Permissioned Blockchain With a Holistic Optimization Model as Bi-Level Intelligence for Smart Manufacturing," *IEEE Transactions on Systems, Man, and Cybernetics: Systems*, vol. 50, no. 1, pp. 182-192, 2020.
- [58] H. Poston, "Mapping the OWASP Top Ten to Blockchain," *Procedia Computer Science*, vol. 177, p. 613-617, 2020.
- [59] J. H. Park and J. H. Park, "Blockchain Security in Cloud Computing: Use Cases, Challenges, and Solutions," *Symmetry*, August 2017.
- [60] J. Frankenfield, "Mt. Gox," Investopedia, Mar 26, 2021.
- [61] E. Yu, "Anonymous website disappears with \$100M in Bitcoin," ZDNet, December 5, 2013.
- [62] J. Horwitz and I. Kar, "One of the world's largest bitcoin exchanges lost \$65 million in a hack," QUARTZ, August 3, 2016.
- [63] F. Erazo, "Hackers Steal Over \$1.3M from European Crypto Trading Platform," Cointelegraph, Aug 03, 2020.
- [64] V. Buterin, "BITFLOOR HACKED, \$250,000 MISSING," Bitcoin Magazine, September 5, 2012.
- [65] C. K. Elwell, M. M. Murphy and M. V. Seitzinger, "Bitcoin: Questions, Answers, and Analysis of Legal Issues," Congressional Research Service, , July 15, 2014.
- [66] R. Chirgwin, "Android bug batters Bitcoin wallets," The Register, August 12, 2013.
- [67] B. Grubb, "Australian Bitcoin bank hacked: \$1m+ stolen," Brisbane Times, November 8, 2013.
- [68] W. Zhao, "Smart contract coding company Parity has issued a security alert, warning of a vulnerability in version 1.5 or later of its wallet software," Coindesk, Jul 20, 2017.
- [69] Parity Technologies, "Security Alert," Accessed April 11, 2021 from <https://www.parity.io/security-alert-2/>, November 08, 2017.
- [70] N. Popper, "A Hacking of More Than \$50 Million Dashes Hopes in the World of Virtual Currency," New York Times, June 17, 2016.
- [71] A. Lewis, "A gentle introduction to Ethereum," Bits on Blocks, October 2, 2016.
- [72] V. Buterin, "Thinking About Smart Contract Security," ethereum foundation blog, June 19, 2016.
- [73] Spartak\_t, "HackerGold (HKG) has a SERIOUS bug," in Accessed April 11, 2021 from <https://bitcointalk.org/index.php?topic=1744115.0>, January 08, 2017.
- [74] J. Solana, "\$500K hack challenge backfires on blockchain lottery SmartBillions," in Accessed April 11, 2021 from <https://calvinayre.com/2017/10/13/bitcoin/500k-hack-challenge-backfires-blockchain-lottery-smartbillions/>, October 13, 2017.
- [75] L. Brent, A. Jurisevic, M. Kong, E. Liu, F. Gauthier and V. Gramoli, "Vandal: A Scalable Security Analysis Framework for Smart Contracts," Accessed April 7, 2021 from <https://arxiv.org/pdf/1809.03981.pdf>, 2018.
- [76] A. Roan, "How Spankchain Got Hacked," Accessed April 9, 2021 from <https://medium.com/swlh/how-spankchain-got-hacked-af65b933393c>, March 27, 2020.
- [77] P. Litke and J. Stewart, "BGP Hijacking for Cryptocurrency Profit," Secureworks, 7 August 2014.
- [78] J. Wilcke, "The Ethereum network is currently undergoing a DoS attack," ethereum foundation blog, September 22, 2016.
- [79] Aruba, "10 Blockchain and New Age Security Attacks You Should Know," Blogs, Aruba, January 22, 2019.
- [80] Waqas, "The Pirate Bay Caught Running Cryptocurrency Mining Script," HackRead, September 17, 2017.
- [81] K. McCarthy, "CBS's Showtime caught mining cryptocurrencies in viewers' web browsers," The Register, September 25, 2017.
- [82] M. Beedham, "Hackers secretly ran cryptocurrency mining malware on Indian government sites," <https://thenextweb.com>, September 17, 2018.
- [83] T. Claburn, "Crypto-jackers enlist Google Tag Manager to smuggle alt-coin miners," The Register, November 22, 2017.
- [84] . M. Maunder , "WordPress Plugin Banned for Crypto Mining," Wordfence, November 8, 2017.
- [85] T. Mursch, "OVER 100,000 DRUPAL WEBSITES VULNERABLE TO DRUPALGEDDON 2 (CVE-2018-7600)," Bad Packets, June 4, 2018.
- [86] T. Cantisano, "YouTube ads hijacked visitors computers to mine cryptocurrency," Neowin, January 26, 2018.
- [87] C. Osborne, "MikroTik routers enslaved in massive Coinhive cryptojacking campaign," ZDNet, August 3, 2018.
- [88] L. Kelion, "Starbucks cafe's wi-fi made computers mine crypto-currency," BBC, December 13, 2017.
- [89] C. Cimpanu, "IOTA Cryptocurrency Users Lose \$4 Million in Clever Phishing Attack," in *Bleepingcomputer*.
- [90] L. Cuen, "IOTA Being Shut Off Is the Latest Chapter in an Absurdist History," coindesk, February 26, 2020.
- [91] L. Breidenbach, P. Daian, F. Tramer and A. Juels, "Enter the Hydra: Towards Principled Bug Bounties and Exploit-Resistant Smart Contracts," in *27th USENIX Security Symposium*, Baltimore, MD, USA, 2018.
- [92] E. Hildenbrandt, M. Saxena, N. Rodrigues, X. Zhu, P. Daian, D. Guth, B. Moore, D. Park, Y. Zhang, A. Stefanescu and G. Rosu, "KEVM: A Complete Formal Semantics of the Ethereum Virtual Machine," in *2018 IEEE 31st Computer Security Foundations Symposium (CSF)*, Oxford, UK, 2018.
- [93] L. Luu, "Oyente: An Analysis Tool for Smart Contracts," Accessed April 5, 2021 from <https://loiluu.com/oyente.html>, 2016.
- [94] P. Tsankov, A. Dan, D. Drachler-Cohen, A. Gervais, F. Bünzli and M. Vechev, "Securify: Practical Security Analysis of Smart Contracts," in *he 2018 ACM SIGSAC*

- Conference on Computer and Communications Security (CCS'18)*, October 2018.
- [95] S. Kalra, S. Goel, M. Dhawan and S. Sharma, "ZEUS: Analyzing Safety of Smart Contracts," in *Network and Distributed Systems Security (NDSS) Symposium*, San Diego, CA, USA, 2018.
- [96] L. Luu, D.-H. Chu, H. Olickel, P. Saxena and A. Hobor, "Making Smart Contracts Smarter," in *The 2016 ACM SIGSAC Conference on Computer and Communications Security (CCS'16)*, October 2016.
- [97] "Mythril," Accessed Apr 7, 2021 from <https://github.com/ConsenSys/mythril>, 2018.
- [98] J. Frank, C. Aschermann and T. Holz, "EthBMC: A Bounded Model Checker for Smart Contracts," in *29th USENIX Security Symposium*, 2020.
- [99] M. Mossberg, F. Manzano, E. Hennenfent, A. Groce, G. Grieco, J. Feist, T. Brunson and A. Dinaburg, "Manticore: A User-Friendly Symbolic Execution Framework for Binaries and Smart Contracts," in *34th IEEE/ACM International Conference on Automated Software Engineering (ASE)*, San Diego, CA, USA, 2019.
- [100] I. Nikolic, A. Kolluri, I. Sergey, P. Saxena and A. Hobor, "Finding The Greedy, Prodigal, and Suicidal Contracts at Scale," in *The 34th Annual Computer Security Applications Conference (ACSAC)*, 2018.
- [101] N. Grech, M. Kong, A. Jurisevic, L. Brent, B. Scholz and Y. Smaragdakis, "MadMax: Surviving Out-of-Gas Conditions in Ethereum Smart Contracts," in *ACM on Programming Languages*, 2018.
- [102] C. F. Torres, J. Schütte and R. State, "Osiris: Hunting for Integer Bugs in Ethereum Smart Contracts," in *34th Annual Computer Security Applications Conference (ACSAC)*, 2018.
- [103] M. Zhang, X. Zhang, Y. Zhang and Z. Lin, "TxSpector: Uncovering Attacks in Ethereum from Transactions," in *29th USENIX Security Symposium*, 2020.
- [104] S. Zhou, Z. Yang, J. Xiang, Y. Cao, M. Yang and Y. Zhang, "An Ever-evolving Game: Evaluation of Real-world Attacks and Defenses in Ethereum Ecosystem," in *29th USENIX Security Symposium*, 2020.
- [105] C. F. Torres and M. Steichen, "The Art of The Scam: Demystifying Honeypots in Ethereum Smart Contracts," in *28th USENIX Security Symposium*, Santa Clara, CA, USA, 2019.
- [106] A. Gervais, G. O. Karame, K. Wüst, V. Glykantzis, H. Ritzdorf and S. Capkun, "On the Security and Performance of Proof of Work Blockchains," in *2016 ACM SIGSAC Conference on Computer and Communications Security*, 2016.
- [107] R. Zhang and B. Preneel, "Lay Down the Common Metrics: Evaluating Proof-of-Work Consensus Protocols' Security," in *2019 IEEE Symposium on Security and Privacy*, San Francisco, CA, USA, 2019.
- [108] B. Jiang, Y. Liu and W. Chan, "ContractFuzzer: Fuzzing Smart Contracts for Vulnerability Detection," in *Proceedings of the 33rd ACM/IEEE International Conference on Automated Software Engineering*, 2018.
- [109] C. Liu, H. Liu, Z. Cao, Z. Chen, B. Chen and B. Roscoe, "ReGuard: finding reentrancy bugs in smart contracts," in *The 40th International Conference on Software Engineering: Companion*, 2018.
- [110] Y. Fu, M. Ren, F. Ma, H. Shi, X. Yang, Y. Jiang, H. Li and X. Shi, "EVMFuzzer: detect EVM vulnerabilities via fuzz testing," in *27th ACM Joint Meeting on European Software Engineering Conference and Symposium on the Foundations of Software Engineering*, 2019.
- [111] V. Wustholz and M. Christakis, "HARVEY: A Greybox Fuzzer for Smart Contracts," in *The 28th ACM Joint Meeting on European Software Engineering Conference and Symposium on the Foundations of Software Engineering*, 2020.
- [112] L. Luu, Y. Velner, J. Teutsch and P. Saxena, "SMARTPOOL: Practical Decentralized Pooled Mining," in *26th USENIX Security Symposium*, Vancouver, BC, Canada, 2017.
- [113] M. Drijvers, K. Edalatnejad, B. Ford, E. Kiltz, J. Loss, G. Neven and I. Stepanovs, "On the Security of Two-Round Multi-Signatures," in *40th IEEE Symposium on Security and Privacy*, 2019.
- [114] M. Drijvers, S. Gorbunov and G. Neven, "Pixel: Multi-signatures for Consensus," in *29th USENIX Security Symposium*, 2020.
- [115] Y. Sun, A. Edmundson, N. Feamster, M. Chiang and P. Mittal, "Counter-RAPTOR: Safeguarding Tor Against Active Routing Attacks," in *IEEE Symposium on Security and Privacy*, 2017.
- [116] F. Zhang, E. Cecchetti, K. Croman, A. Juels and E. Shi, "Town Crier: An Authenticated Data Feed for Smart Contracts," in *2016 ACM SIGSAC Conference on Computer and Communications Security (CCS '16)*, 2016.
- [117] A. Mavridou and A. Laszka, "Tool Demonstration: FSolidM for Designing Secure Ethereum Smart Contracts," in *International Conference on Principles of Security and Trust*, 2018.
- [118] H. Kalodner, S. Goldfeder, X. Chen, S. M. Weinberg and E. W. Felten, "Arbitrum: Scalable, private smart contracts," in *27th USENIX Security Symposium*, Baltimore, MD, USA, 2018.
- [119] S. So, M. Lee, J. Park, H. Lee and H. Oh, "VERISMART: A Highly Precise Safety Verifier for Ethereum Smart Contracts," in *2020 IEEE Symposium on Security and Privacy*, 2020.
- [120] S. Amani, M. Bégel, M. Bortin and M. Staples, "Towards verifying ethereum smart contract bytecode in Isabelle/HOL," in *The 7th ACM SIGPLAN International Conference on Certified Programs and Proofs*, 2018.
- [121] T. Abdellatif and K.-L. Brousmiche, "Formal Verification of Smart Contracts Based on Users and Blockchain Behaviors Models," in *The 9th IFIP International Conference on New Technologies, Mobility and Security (NTMS)*, Paris, France, 2018.
- [122] T. Sun and W. Yu, "A Formal Verification Framework for Security Issues of Blockchain Smart Contracts," *Electronics*, vol. 9, no. 2, 2020.

- [123] A. Permeney, D. Dimitrov, P. Tsankov, D. Drachler-Cohen and M. Vechev, "VerX: Safety Verification of Smart Contracts," in *2020 IEEE Symposium on Security and Privacy*, San Francisco, CA, US, 2020.
- [124] A. Kosba, A. Miller, E. Shi, Z. Wen and C. Papamanthou, "Hawk: The Blockchain Model of Cryptography and Privacy-Preserving Smart Contracts," in *2016 IEEE Symposium on Security and Privacy*, 2016.
- [125] M. Tran, L. Luu, M. S. Kang, I. Bentov and P. Saxena, "Obscuro: A Bitcoin Mixer using Trusted Execution Environments," in *34th Annual Computer Security Applications Conference (ACSAC)*, 2018.
- [126] T. Kerber, A. Kiayias, M. Kohlweiss and V. Zikas, "Ouroboros CRYPTOSINOUS: Privacy-Preserving Proof-of-Stake," in *2019 IEEE Symposium on Security and Privacy*, San Francisco, CA, USA, 2019.
- [127] S. Matetic, K. Wüst, M. Schneider, K. Kostianen, G. Karame and S. Capkun, "Bite: Bitcoin Lightweight Client Privacy using Trusted Execution," in *28th USENIX Security Symposium*, Santa Clara, CA, USA, 2019.
- [128] S. Bowe, A. Chiesa, M. Green, I. Miers, P. Mishra and H. Wu, "Zexe: Enabling Decentralized Private Computation," in *2020 IEEE Symposium on Security and Privacy*, San Francisco, CA, US, 2020.
- [129] F. Tramèr, D. Boneh and K. Paterson, "Remote Side-Channel Attacks on Anonymous Transactions," in *29th USENIX Security Symposium*, 2020.
- [130] T. Wright, "Four-Year Anniversary of Bitfinex Hack, and \$12M of Stolen BTC Moved," *Cointelegraph*, Aug 4, 2020.
- [131] Ethereum, "Upgrading Ethereum to radical new heights," <https://ethereum.org/en/eth2/>, March 1, 2021.
- [132] S. Dziembowski, L. ECKEY, S. Faust and D. Malinowski, "Perun: Virtual Payment Hubs over Cryptocurrencies," in *40th IEEE Symposium on Security and Privacy*, San Francisco, CA, USA, 2019.
- [133] P. Gazi, A. Kiayias and D. Zindros, "Proof-of-Stake Sidechains," in *40th IEEE Symposium on Security and Privacy*, San Francisco, CA, USA, 2019.
- [134] H. Yu, I. Nikolic, R. Hou and P. Saxena, "OHIE: Blockchain Scaling Made Simple," in *41st IEEE Symposium on Security and Privacy*, 2020.
- [135] Visa, "Visa Fact Sheet," <https://usa.visa.com/dam/VCOM/download/corporate/media/visanet-technology/aboutvisafactsheet.pdf>, March 1, 2021.
- [136] IBM, "IBM Blockchain Supply Chain Solutions," Accessed July 31, 2021 from <https://www.ibm.com/uk-en/blockchain/industries/supply-chain>.
- [137] VeChain, "VeChain Solution Overview," Accessed July 31, 2021 from <https://vechain.com/solution/logistics>.
- [138] X. Yu and H. Guo, "System, Device and Method for Blockchain-base Data Exchange," Singaporean Patent Application No. 10202000875X, February 5, 2020.
- [139] W. Zou, D. Lo, P. S. Kochhar, X.-B. D. Le, X. Xia, Y. Feng, Z. Chen and B. Xu, "Smart Contract Development: Challenges and Opportunities," *IEEE Transactions on Software Engineering*, 2019.
- [140] E. Germany, "The Crypto SWOT Team investigates EOS," steemit, 2018.
- [141] P. Daian, S. Goldfeder, T. Kell, Y. Li, X. Zhao, I. Bentov, L. Breidenbach and A. Juels, "Flash Boys 2.0: Frontrunning in Decentralized Exchanges, Miner Extractable Value, and Consensus Instability," in *41st IEEE Symposium on Security and Privacy*, 2020.
- [142] Y. Zhou, D. Kumar, S. Bakshi, J. Mason, A. Miller and M. Bailey, "Erays: Reverse Engineering Ethereum's Opaque Smart Contracts," in *27th USENIX Security Symposium*, Baltimore, MD, USA, 2018.
- [143] H. Kalodner, M. Möser, K. Lee, S. Goldfeder, M. Plattner, A. Chator and A. Narayanan, "BlockSci: Design and applications of a blockchain analysis platform," in *29th USENIX Security Symposium*, 2020.
- [144] G. Xu, B. Guo, C. Su, X. Zheng, K. Liang, D. S. Wong and H. Wang, "Am I Eclipsed? A Smart Detector of Eclipse Attacks for Ethereum," *Computers & Security*, vol. 88, 2020.
- [145] P. W. Shor, "Algorithms for quantum computation: discrete logarithms and factoring," in *35th Annual Symposium on Foundations of Computer Science*, Santa Fe, NM, USA, 1994.
- [146] A. Bouguera, "How Will Quantum Computing Affect Blockchain?," *consensys*, December 3, 2019.
- [147] National Institute of Standards and Technology (NIST), "NIST's Post-Quantum Cryptography Program Enters 'Selection Round'," July 22, 2020.
- [148] I. Barmes and B. Bosch, "Quantum computers and the Bitcoin blockchain," *Deloitte*, March 13, 2021.
- [149] L. M., "IOTA Price Prediction 2021 And Beyond: What to Expect?," *BigDegree*, January 25, 2021.
- [150] S. Sayadi, S. B. Rejeb and Z. Choukair, "Blockchain Challenges and Security Schemes: A Survey," in *Seventh International Conference on Communications and Networking (ComNet)*, Hammamet, Tunisia, 2018.
- [151] M. Saad, J. Spaulding, L. Njilla, C. Kamhoua, S. Shetty, D. Nyang and A. Mohaisen, "Exploring the Attack Surface of Blockchain: A Systematic Overview," *IEEE Communications Surveys & Tutorials*, vol. 22, no. 3, pp. 1977-2008, 2020.
- [152] D. Dasgupta, J. M. Shrein and K. D. Gupta, "A survey of blockchain from security perspective," *Journal of Banking and Financial Technology*, vol. 3, pp. 1-17, 2019.
- [153] J. Leng, M. Zhou, J. L. Zhao, Y. Huang and Y. Bian, "Blockchain Security: A Survey of Techniques and Research Directions," *IEEE Transactions on Services Computing*, 2020.
- [154] W. Chen, Z. Xu, S. Shi, Y. Zhao and J. Zhao, "A Survey of Blockchain Applications in Different Domains," in *International Conference on Blockchain Technology and Applications (ICBTA) 2018*, Xi'an, China, December 10-12, 2018.

- [155] J. R. Douceur, "The Sybil Attack," in *First International Workshop Peer-to-Peer Systems (IPTPS)*, Cambridge, MA, USA, March, 2002.
- [156] M. Castro and B. Liskov, "Practical Byzantine Fault Tolerance," in *Proceedings of the Third Symposium on Operating Systems Design and Implementation*, New Orleans, USA, February, 1999.
- [157] I. Corporation, "PoET 1.0 Specification," Sawtooth Hyperledger, <https://sawtooth.hyperledger.org/docs/core/releases/1.0/architecture/poet.html>, February, 2021.
- [158] Kraken, "Cryptocurrency deposit processing times," <https://support.kraken.com/hc/en-us/articles/203325283-Cryptocurrency-deposit-processing-times>, 2021.
- [159] L. Fairweather, "The Problems That Ethereum 2.0 Proof-of-Stake Aims to Solve," BetterProgramming, <https://betterprogramming.pub/the-problems-that-ethereum-2-0-proof-of-stake-aims-to-solve-5361c155461a>, Oct 26, 2020.
- [160] E. Georgiadis, "How many transactions per second can bitcoin really handle ? Theoretically," Computer Science, IACR Cryptol, 2019.
- [161] K. Croman, . C. Decke, I. Eyal, A. Gencer, A. Juels, A. Kosba, A. Miller, P. Saxena, E. Shi, E. Sirer, D. An and R. Wattenhofer, "On Scaling decentralized blockchains," in *3rd Workshop on Bitcoin and Blockchain Research*, 2016.
- [162] B. Ampel, M. Patton and H. Chen, "Performance Modeling of Hyperledger Sawtooth Blockchain," in *IEEE International Conference on Intelligence and Security Informatics (ISI)*, July, 2019.
- [163] J. D. Preece and J. M. Easton, "Blockchain Technology as a Mechanism for Digital Railway Ticketing," in *IEEE International Conference on Big Data (Big Data)*, Los Angeles, CA, USA, 2019.
- [164] IOTA, "What is IOTA?," IOTA Service, 2021.
- [165] Nipol.eth, "Why are we on EOS?," Medium, <https://medium.com/eosfish/why-are-we-on-eos-2e5320533a60>, Jan 15, 2019.
- [166] Bitshares, "About BitShares Blockchain," <https://bitshareshub.io/about-bitshares-blockchain/>, February 28, 2021.
- [167] "Bitcoin Cash," Wikipedia, [https://en.wikipedia.org/wiki/Bitcoin\\_Cash](https://en.wikipedia.org/wiki/Bitcoin_Cash), February 28, 2021.
- [168] C. Sephton, "Bitcoin Cash price prediction: undervalued against Bitcoin?," currency.com, <https://currency.com/bitcoin-cash-price-prediction-2021>, January 25, 2021.
- [169] A. Raza, "Bitcoin Cash price prediction 2021 and beyond: where is the BCH price going from here?," capital.com, <https://capital.com/bch-bitcoin-cash-price-prediction-2021>, November 24, 2020.
- [170] Kriptomat., "More About Cardano ADA," <https://kriptomat.io/cardano-ada-price/>, February 28, 2021.
- [171] "Polkadot Profile," <https://messari.io/asset/polkadot/profile>, February 28, 2021.
- [172] Wikipedia, "Litecoin," <https://en.wikipedia.org/wiki/Litecoin>, February 28, 2021.
- [173] R. Chalmers, "What is the Litecoin price history?," Yahoo!Finance, <https://finance.yahoo.com/news/litecoin-price-history-140021991.html>, May 6, 2019.
- [174] CoinMarketCap, "IOTA," <https://coinmarketcap.com/currencies/iota/>, February 28, 2021.
- [175] A. Raza, "EOS price prediction 2021: does the coin have a future at all?," <https://capital.com/eos-price-prediction-2021-and-beyond#:~:text=When%20it%20was%20first%20launched,hours%2C%20with%20EOS%20hitting%20%245.40.>, December 2, 2020.
- [176] Wikipedia, "Cardano (cryptocurrency platform)," [https://en.wikipedia.org/wiki/Cardano\\_\(cryptocurrency\\_platform\)](https://en.wikipedia.org/wiki/Cardano_(cryptocurrency_platform)), February 28, 2021.
- [177] M. Willems, "Crypto: Despite the risks, is Bitcoin becoming mainstream?," CITYA.M., <https://www.cityam.com/crypto-despite-the-risks-is-bitcoin-becoming-mainstream/>, February 24, 2021.
- [178] Wikipedia, "Bitcoin," <https://en.wikipedia.org/wiki/Bitcoin>, February 28, 2021.
- [179] Polkadot, "What is the total supply of DOT?," <https://support.polkadot.network/support/solutions/articles/65000173907-what-is-the-total-supply-of-dot->, January 18, 2021.
- [180] A. Sharma, "Why Is Ethereum Co-founder Proposing a Hard Cap?," Investopedia, <https://www.investopedia.com/news/why-ethereum-cofounder-proposing-hard-cap/>, June 25, 2019.
- [181] SFOX, "From Crowdfunded Blockchain to ICO Machine: An Ethereum Price History," <https://www.sfox.com/blog/from-crowdfunded-blockchain-to-ico-machine-an-ethereum-price-history/>, April 6, 2018.
- [182] J. Frankenfield, "Ethereum," Investopedia, <https://www.investopedia.com/terms/e/ethereum.asp>, February 18, 2021.
- [183] J. Frankenfield, "Bitcoin Cash Definition," Investopedia, <https://www.investopedia.com/terms/b/bitcoin-cash.asp>, December 10, 2020.
- [184] Etherscan, "Ethereum Average Block Size Chart," <https://etherscan.io/chart/blocksize>, March 1, 2021.
- [185] L. Chen , W.-K. Lee, C.-C. Chang and R. K.-K. Choo, "Lanxiang Chen, Wai-Kong Lee, Chin-Chen Chang, and Raymond Kim-Kwang CBlockchain based searchable encryption for electronic health record sharing.," *Future Generation Computer Systems*, vol. 95, p. 420–429., 2019.
- [186] A. A. Monrat, O. Schelén and K. Andersson, "A Survey of Blockchain From the Perspectives of Applications,

- Challenges, and Opportunities," *IEEE Access*, vol. 7, pp. 117134-117151, 2019.
- [187] C. Criddle, "Bitcoin consumes 'more electricity than Argentina'," BBC News, <https://www.bbc.com/news/technology-56012952>, February 10, 2021.
- [188] Wikipedia, "David Chaum," [https://en.wikipedia.org/wiki/David\\_Chaum](https://en.wikipedia.org/wiki/David_Chaum), March 14, 2021.
- [189] N. Atzei, M. Bartoletti and T. Cimoli, A Survey of Attacks on Ethereum Smart Contracts (SoK), Berlin, Heidelberg: In: Maffei M., Ryan M. (eds) Principles of Security and Trust. POST 2017. Lecture Notes in Computer Science, vol 10204. Springer, 2017.
- [190] M. Bartoletti and L. Pompianu, "An Empirical Analysis of Smart Contracts: Platforms, Applications, and Design Patterns," in *In: Brenner M. et al. (eds) Financial Cryptography and Data Security. FC 2017. Lecture Notes in Computer Science, vol 10323. Springer, 2017.*
- [191] OWASP, "Top 10 Web Application Security Risks," <https://owasp.org/www-project-top-ten/>, Accessed March 18, 2021.
- [192] I. Eyal and E. G. Sirer, "Majority is not enough: Bitcoin mining is vulnerable," *Communications of the ACM*, vol. 61, no. 7, 2018.
- [193] bitcoinwiki, "DPoS," Accessed March 21, 2021 from <https://en.bitcoinwiki.org/wiki/DPoS>.
- [194] A. Simmons, "New IOTA Pollen V0.2.2 records more than 10,000 transactions per second," Accessed March 21, 2021 from <https://www.crypto-news-flash.com/new-iota-pollen-v0-2-2-records-more-than-10000-transactions-per-second/>, July 29, 2020.
- [195] Wikipedia, "Sheep Marketplace," Accessed March 24, 2021 from [https://en.wikipedia.org/wiki/Sheep\\_Marketplace](https://en.wikipedia.org/wiki/Sheep_Marketplace).
- [196] X. Feng, Q. Wang, X. Zhu and S. Wen, "Bug Searching in Smart Contract," Accessed March 25, 2021 from <https://arxiv.org/pdf/1905.00799.pdf>, 2019.
- [197] M. Apostolaki, A. Zohar and L. Vanbever, "Hijacking Bitcoin: Routing Attacks on Cryptocurrencies," in *2017 IEEE Symposium on Security and Privacy*, San Jose, CA, USA, 2017.
- [198] E. Heilman, A. Kendler, A. Zohar and S. Goldberg, "Eclipse Attacks on Bitcoin's Peer-to-Peer Network," in *24th USENIX Security Symposium*, Washington D. C., USA, 2015.
- [199] M. Tran, I. Choi, G. J. Moon, A. V. Vu and M. S. Kang, "A Stealthier Partitioning Attack against Bitcoin Peer-to-Peer Network," in *2020 IEEE Symposium on Security and Privacy*, San Francisco, CA, US, 2020.
- [200] F. Tramer, D. Boneh and K. Paterson, "Remote Side-Channel Attacks on Anonymous Transactions," in *29th USENIX Security Symposium*, 2020.
- [201] steemit.com, "Proof of Weak Hands (PoWH) Coin hacked, 866 eth stolen," Accessed April 6, 2021 from <https://steemit.com/cryptocurrency/@bitburner/proof-of-weak-hands-powh-coin-hacked-866-eth-stolen>, 2018.
- [202] A. Akentiev, "Parity Multisig Hacked. Again," Accessed April 6, 2021 from <https://medium.com/chain-cloud-company-blog/parity-multisig-hack-again-b46771eaa838>, November 8, 2017.
- [203] L. Brent, A. Jurisevic and M. Kong, "Vandal: A Scalable Security Analysis Framework for Smart Contracts".
- [204] SpankChain, "We Got Spanked: What We Know So Far," Accessed April 9, 2021 from <https://medium.com/spankchain/we-got-spanked-what-we-know-so-far-d5ed3a0f38fe>, October 9, 2018 .
- [205] R. Zhang and B. Preneel, "Lay Down the Common Metrics: Evaluating Proof-of-Work Consensus Protocols' Security," in *40th IEEE Symposium on Security and Privacy*, San Francisco, CA, USA, 2019.
- [206] X. Dong, F. Wu, A. Faree and D. Guo, "Selfholding: A combined attack model using selfish mining with block withholding attack," *Computers & Security* 87(11):101584, vol. 87, no. 11, 2020.
- [207] B. Bambrough, "Bitcoin Price Rockets After Elon Musk's Tesla Reveals It Bought \$1.5 Billion Worth Of Bitcoin," *Forbes*, February 8, 2021.
- [208] D. Schmidt, "Delegated Proof of Stake," *Benzinga*, July 6, 2020.
- [209] A. Hertig, "A Guide to Saving on Bitcoin's High Transaction Fees," *coindesk*, February 27, 2021.
- [210] "What Is Bitcoin?," *Academy Binance*, Jun 11, 2021.
- [211] J. Frankenfield, "IOTA (MIOTA)," *Investopedia*, December 21, 2020.

## **Conflict of Interest**

As authors of the manuscript entitled “A Survey on Blockchain Technology and its Security” which is submitted for publication, both Huaqun Guo and Xingjie Yu do not have any conflict of interest with any organization or any person.

Huaqun Guo & Xingjie Yu

7 October 2021

Journal Pre-proof